

**CASE No 3753/2015**

**E.C. COMPLIANCE REPORT**

**OF**

**BHATOORA LIMESTONE MINE**

**Area - 4.047 Hect.**  
**Village - Bhatoora**  
**Tehsil - Maihar**  
**District - Satna**  
**Sate - Madhya Pradesh**

**Lessee :-**

**M/s. S.N.S. (Minerals) Pvt. Ltd.**

**N.H. -7, Rewa Road, Maihar**  
**Tehsil –Maihar, District- Satna (M.P.)**  
**Pin Code – 485771**  
**e-mail : [snsmhr@gmail.com](mailto:snsmhr@gmail.com)**

**JUNE – 2025**

# INDEX

**(1) E.C. Compliance**

**(2) Annexure -**

- **Annexure – 1 Copy of Lease Deed**
- **Annexure – 2 Copy of E.C. Letter**
- **Annexure – 3 Consent to Establish**
- **Annexure – 4 Consent to Operate**
- **Annexure – 5 Environment Monitoring Report**
- **Annexure – 6 Year wise Expenditure**
- **Annexure – 7 Environment Statement**
- **Annexure – 8 Copy of News Paper Advertisement**
- **Annexure – 9 Copy of Power of Attorney**
- **Annexure – 10 Photographs**

Dated 01.06.2025

**To**  
**The Additional Principal Chief Conservator of Forest (Central)**  
**Regional Office of Ministry of Environment & Forest**  
**Western Region, Kendriya Paryavaran Bhawan**  
**Link Road No.3, Ravi Shankar Nagar**  
**BHOPAL - 462016 (M.P.)**

**Subject:** Status of Compliance of the Environment Clearance granted by the M.P. SEIAA vide Letter No. (i) 1958/SEIAA/16 dated 08.01.2019 and (ii) Letter No 1075/SEIAA/21 dated 01.06.2021 in respect of our Bhatoora Limestone Mine, in Village: Bhatoora, Tahsil- Maihar and District-Satna (M.P.)

Dear Sir,

With reference to the aforesaid, we are herewith submitting the point wise compliance of the Environment Clearance.

Sl. No.	Specific Conditions	Compliance Status / Commitment
1	Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.	The ML area has been duly fenced along with watch and ward & installation of signage at 4 corners of lease area.
2	Lease agreement shall be carried out before execution of mining operation.	The mining lease deed is already executed & valid up to 21/12/2031.
3	PP shall demarcate a barrier zone of 7.5 m as no mining zone in the periphery of mining lease area and develop a green belt.	The 7.5m barrier zone has been demarcated and plantation has been developed.
4	Plantation programme as mentioned in EIA/EMP and presented during presentation in SEIAA & SEAC shall be followed in content and spirit.	Agreed. Being complied.
5	The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.	No ground water table has been intersected.
6	PP will plant 3 years old 2300 sapling of suitable indigenous trees species during 1 <sup>st</sup> year with indigenous local varieties like Neem, Peppal, Kadam, Karanj, Kachnar etc and plantation of 2350 Trees along the transportation route up to the junction of N.H. during first year.	2800 trees in the core zone & 3250 trees in buffer zone (along transport route and open area) have been planted so far after opening of mine.
7	Transportation of minerals shall not be carried out inside the villages area.	No transportation of minerals is carried out inside the village area.

8	PP shall ensure that the mine waste water should not be discharge outside the mining lease area and may reused in the mining activities.	No waste water is generated from mine. The water from sump is used for dust suppression measures & plantation.
9	No overburden will be dumped outside the mine lease area.	The overburden is being back filled within mining lease area in mined out pit towards west.
10	The over burden and waste will be stacked for five years and then simultaneously backfilled in the mined out area where plantation will be raised on it.	The overburden is being back filled within mining lease area in mined out pit towards west. Plantation in back filled area will be done after attaining the ground level and levelling.
11	PP shall ensure protection and conservation of existing trees failing under mining lease area and in no way these will be permitted to be out/uprooted.	No uprooting of tree will be done within the M.L. area.
12	PP shall ensure generation of employment opportunities to nearby villages on priority basis.	Agreed. Being complied. The employment has been given to people from nearby villages within 2 km on priority basis. The locals employed are about 90% of the total employment given.
13	Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.	Payments of wages to the workers are given in consonance with the provisions in the labour laws.
14	Proper infrastructure with shelter, drinking water, toilet and first aid facilities shall be provided for the laboures. A provisions should be made to construct a pakka rest shelter along with toilet and drinking water facility.	Rest shelter, drinking water, toilet and first aid facilities are available for labour. The rest shelter along with toilet and drinking water facility is pakka.
15	PP should also carry out regular sprinkling in the mining lease area to arrest dust emission from mining activities affecting the nearby agriculture fields.	Being complied.
16	Mining shall be limited to the area as shown in surface plan and as per the approved mining scheme.	Being complied.
17	PP shall ensure the proper water supply arrangements for plantation especially in summer season.	Agreed. Being complied.
18	PP shall adopt Bhatooora village and prepare the development plan in consultation with gram panchayat / sarpanch under the guideline of District collector.	Being complied.
19	Under CSR activity in addition to the proposed activities following actives should be added.	The CSR activity is being carried out as per need based assessment. The

	<p>a) Construction and maintenance of cow shelter (Gaushala)</p> <p>b) Provide drinking water facility at village Bhatooora, Padrehi and Gonrwai (Two hand pump and One tank)</p> <p>c) Construction of community hall at nearby villages.</p> <p>d) Sanitation activities including construction of individual toilets for local residents of nearby village in consultation with village Panchayat.</p>	activities carried include maintenance of road, drinking water facility at village Bhatooora, Promotion in educational facilities & Sanitation activities for local residents of nearby village in consultation with village Panchayat.
20	PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA.	Being complied.
21	The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars.	The ML boundary has been demarcated by DGPS survey and boundary pillars erected with co – ordinates.
22	Necessary consent for proposed expansion shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.	Complied. Copy enclosed.
23	Authorization under Hazardous and other wasted (management and transboundary) Rules 2016 should be obtained by the PP it required.	No Hazardous waste is proposed to be generated.
24	PP will also carry out fencing all around the lease area.	Fencing has been done
25	If any tree uprooting is proposed necessary permitted permission from the competent authority should be obtained for the same.	No uprooting of tree is proposed.
26	For dust suppression, regular sprinkling of water should be undertaken	For dust suppression, regular sprinkling of water is being undertaken.
27	Maintain haul road and this will be compacted regularly and transport road will be made pucca (tar road) and shall be constructed prior to operation of mine.	Being complied.
28	PP will obtain other necessary clearances/NOC from respective authorities.	Complied.
29	Control blasting shall be carried out.	Being complied.
30	No explosive will be stored at mine site.	Being complied.
31	Overhanging of the drill hole during short firing should be avoided.	Being complied.
32	Curtaining of site shall be done through thick plantation all around the boundaries of all part of lease. The proposed plantation scheme should be carried out along with the mining and PP would maintain the plant for five years	Curtaining of site has been done through thick plantation all around the boundaries of all part of lease. The PP will maintain the plant for five years

	including casually replacement initially, dense plantation shall be developed along the site boundary (in three rows) including the villages side to be provide additional protection in one year only.	including casualty replacement. About 2800 Trees have been planted in the core zone and backfilled area and 3250 in the buffer zone.																								
33	Peripheral plantation all around the project boundary shall be carried out using tall sapling of minimum 2 m height of species which are fast growing with thick canopy cover preferably of perennial green nature. As proposed in the landscape plan & EMP a minimum of 2350 no of trees will be planted on 1.697 ha including barrier zone and backfilled area.	About 2800 Trees have been planted in the core zone which includes 350 saplings in backfilled area. 3250 sapling has been planted in the buffer zone.																								
34	Transportation of material shall be done in covered vehicles.	Transport is done in covered vehicle.																								
35	Transportation of minerals shall not be carried out through forest area.	No forest exists within the transport route.																								
36	The OB shall be reutilized for maintenance of road. PP shall bound to completed the final closure plan as approved by the IBM	The overburden is being back filled within mining lease area in mined out pit. Plantation will be done after attaining the ground level.																								
37	Garland drain and bund along with settling tank will be maintain in the boundary side and around dump to prevent siltation of lying areas and in rush of water into the mine. The size of the drain will be 1100m x 2m x 1.5m. The sump will be prepared at lowest level in quarry and will be de silted at regular interval for proper sedimentation.	Garland drain and bund along with settling tank is being maintained in the boundary side and around dump to prevent siltation of lying areas and in rush of water into the mine. The sump has been prepared at lowest level in quarry and is de silted at regular interval for proper sedimentation.																								
38	For the dust suppression over sprinkler through water tankers should be provided on transport road for dust suppression.	Being complied.																								
39	All garland drain shall be connected to settling tanks though settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plan regular de- silting of drain and pits should be carried out.	The settled water from sump is used for dust suppression and green belt development. De- silting of drain and pits is carried out regularly.																								
40	The existing and proposed land use of the mine is as follows	Agreed																								
	<table border="1"> <thead> <tr> <th>S. no</th> <th>Description</th> <th>Area (ha)</th> <th>%</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Agriculture</td> <td>18196.63</td> <td>55.51</td> </tr> <tr> <td>2</td> <td>Open land</td> <td>663.3</td> <td>2.03</td> </tr> <tr> <td>3</td> <td>Water bodies</td> <td>141.7</td> <td>0.043</td> </tr> <tr> <td>4</td> <td>Vegetation</td> <td>53.48</td> <td>0.16</td> </tr> <tr> <td>5</td> <td>Forest</td> <td>10502.09</td> <td>32.21</td> </tr> </tbody> </table>	S. no	Description	Area (ha)	%	1	Agriculture	18196.63	55.51	2	Open land	663.3	2.03	3	Water bodies	141.7	0.043	4	Vegetation	53.48	0.16	5	Forest	10502.09	32.21	
S. no	Description	Area (ha)	%																							
1	Agriculture	18196.63	55.51																							
2	Open land	663.3	2.03																							
3	Water bodies	141.7	0.043																							
4	Vegetation	53.48	0.16																							
5	Forest	10502.09	32.21																							

	6	Open scrub	2071.62	6.35	
	7	Settlements	972.18	2.98	
		Total	32601	100	
41	Appropriate and submitted activities shall be taken up for social up-liftment of the region. Funds reserved towards the same shall be utilized through Gram Panchayat. Further any need based and appropriate activity may be taken up in coordinates with local panchayat.				The CSR activity is being carried out as per need based assessment. Rs 1.98 lakh was spent on CSR during year 2024-25.
42	PP will take adequate precautions so as not to cause any damage to the flora and fauna during mining operations.				No damage has been done to the flora and fauna during mining operations.
43	The commitments made in the public hearing are to be fulfilled by the PP				Being complied.
44	Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.				Being complied.
45	PPE's such as helmet, ear muffs etc should be provided to the workers during mining operations.				PPE's such as helmet, ear muffs etc are provided to the workers during mining operations.
46	The proposed EMP cost is Rs. 6.25 lakhs and Rs. 6.80 Lakhs /year are proposed as capital and recurring expenses respectively out of which Rs. 3.25 Lakhs /year is proposed for green belt development inclusive of green belt along transport road and Rs. 1.25 lakhs capital and 1.25 lakhs/year for recurring expenses for construction and maintenance of road to mine proposed in the EMP of this project.				Agreed. Being complied.
47	Under CSR activity Rs. 5.00 lakhs and Rs. 2.00 lakhs/year are proposed as recurring expenses respectively in different activities and should be implemented through respective committees.				Under CSR activity Rs 1.98 lakh was spent on CSR during year 2024-25.
48	Separate budget of Rs. 1.00 lakh shall be spent on health awareness and camps for local community in village Bhatoora, Padrehi and Gonrwal.				Being complied.
49	The environment policy of the company should be framed as per MOEF & CC guidelines and same should be implemented through monitoring cell. In case allocated EMP budget for mitigative measures for EMP should be addressed in annual return.				The environment policy has been framed as per Rules framed by MoEF & CC and Guidelines. It is implemented through EMC.
50	A separate bank account should be maintained for all the expenses made in the EMP activities by PP for financial accountability and this detail should be provided in annual Environment Statement.				A separate bank account has been maintained for EMP activities.

51	PP shall be responsible for discrepancy (if any) in the submission made by the PP to SEAC & SEIAA.	Agreed
52	PP comply with all the commitment made vide letter dated 19.08.2018	Agreed
53	Expansion of modernization in the project. Entailing capacity/built up area/project area, addition with change in process and or technology and any change in product-mix in proposed mining unit shall require a fresh Environment Clearance.	Agreed
<b>Sl. No. Standard Conditions Compliance Status / Commitment</b>		
1	All activities/ mitigative measures proposed by PP in Environmental Impact Assessment and approved by SEAC must be ensured.	The mitigative measures suggested based on the impact assessment for Air, Water, Noise & Soil quality management is ensured and implemented.
2	All activities/ mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.	The mitigative measures suggested based in the EMP are ensured and implemented. Dust suppression measures are consistently taken. Wet drilling is being done and dust extractors are being attached with drill equipment. Transportation is being done by covered trucks. Plantation has been carried out by the sides of the haul road. Budget along with number and species has been furnished in annexure. PPE has been provided to the workers.
3	All parameters listed in environmental monitoring plan approved by SEAC must be monitored at approved locations and frequencies.	The parameters are being monitored regularly.
4	Blast vibrations study shall be conducted and submitted to the Regional Office, MoEF, GoI, Bhopal and MPPCB within six months. The study shall also provide measures for prevention of blasting associated impact on nearby houses and agricultural fields.	No deep hole drilling and blasting is being done.
5	Controlled blasting techniques with sequential drilling shall be adopted. The blasting shall be carried out in the day time only.	Controlled blasting is being done during day time only.
6	Slope of the mining bench and ultimate pit limit shall be as per	The UPL is 7.5m from lease

	the mining scheme approved by IBM.	boundary as per MMR 1961. The benches are of height up to 7.5m. The width is more than the height. The faces are sloped at 60 degrees angle. The working is done as per approved mining plan.
7	A final mine closure plan, along with details of Corpus Fund, Shall be submitted to the Regional Officer, MoEF, Gol, Bhopal and MPPCB within 5 years in advance of final mine closure for approval.	A final mine closure plan will be submitted before 5 years in advance of final closure.
8	No change in the calendar plan including excavation, quantum of mineral and waste shall be made.	The period is on financial year wise basis as per the rules.
9	Mining will be carried out as per the approved mining plan. In case of any violation of mining plan, the Environmental Clearance given by SEIAA will stand cancelled.	The mining is carried out as per the approved mining plan. The modification in approved Mining plan will be carried out under rules if there is any deviation.
10	Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.	Adequate buffer zone by keeping sufficiently apart benches of OB and mineral is maintained as per MMR 1961, 7.5m barrier is left from ML area boundary.
11	The transportation of the minerals extracted from the mining area shall be limited to day hours time only.	The transportation of the mineral from the mining area is limited to day hours time only.
12	Maintenance of nearby local roads through which transportation of minerals are undertaken shall be carried out by the company regularly at its own expenses. The roads shall be black topped.	Maintenance of nearby local roads through which transportation of minerals is undertaken has been maintained by PP regularly at its own expenses. The roads are black topped.
13	Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.	The top soil is used for topping of the backfilled area. No dumping is carried out.
14	Trenches/ garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of check dams	No dumping is carried out. Simultaneous back filling of OB / waste is being done.

	and dully plugs shall be constructed across seasonal/perennial Nallahs, if any, flowing through the ML area and silts arrested. De- silting at regular intervals shall be carried out.	No seasonal/perennial nala flow through the ML area.
15	The project proponent will ensure necessary protection measures around the mine pit, waste dumps and garland drain.	The mine area has been suitably fenced and unauthorized entry has been prohibited. Plantation is being done in boundary. No dump exists within M.L. area.
16	Top soil/solid waste shall be stacked properly with proper slops and adequate safeguards and shall be utilized for backfilling (Wherever applicable) for reclamation and rehabilitation of mined out area. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.	The waste is being simultaneously backfilled and top soil used for topping and leveling of the backfilled area.
17	Over burden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20m, each stage shall preferably be of maximum 10m and overall slope of the dump shall not exceed 350. The OB dump shall be backfilled and shall be scientifically vegetated with suitable native species to prevent erosion & surface run off.	Over Burden (OB) is being simultaneously backfilled. No dump will remain at end. The backfilled area will be vegetated with suitable native species Khamer, Sejha, Guava, Jackfruit, Karanj, Neem, Gulmohar, Mango, Shisham, Kachnar, Amla, Jamun, Pipal etc.
18	Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MPPCB on six monthly basis.	The backfilled area will be vegetated with native species Khamer, Sejha, Guava, Jackfruit, Karanj, Neem, Gulmohar, Mango, Shisham, Kachnar, Amla, Jamun, Pipal etc. Monitoring & management will continue until vegetation becomes self-sustaining.
19	Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Deptt. Herbs & Shrubs shall also form a part of afforestation programme besides tree plantation. The company shall involve local people for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MPPCB every year.	Green belt is being developed in compliance of point number 17 & 18 of the condition of EC. The selection of plant species is in consultation with the forest/ Agriculture Dept. and local people.
20	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and	Vehicular emissions is kept under control and regularly monitored.

	<p>others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles/fine matters escape during the course of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through wild life sanctuary, if any in the study area.</p>	<p>Vehicles used for transportation of minerals and others have valid permissions as per Law. The vehicles transporting minerals are covered with a tarpaulin so that no dust particles / fine matters escape during the course of transportation. No overloading of minerals for transportation is done. No wild life sanctuary exists within the study area or within the transport route up to the destination.</p>
21	<p>Four ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM,SPM, SO<sub>2</sub>, NO<sub>x</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly up-loaded and displayed on the company's website.</p>	<p>Four ambient air quality monitoring stations is established in the core zone as well as in the buffer zone for PM 2.5, PM 10, SO<sub>2</sub>, NO<sub>x</sub> monitoring. The monitored data for criteria pollutants are being regularly monitored and sent to the SPCB.</p>
22	<p>Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) Should be regularly submitted to the Regional Office, MoEF, Gol, Bhopal and State Pollution Control Board/ Central Pollution Control Board once in six months.</p>	<p>Data on ambient air quality (PM 2.5, PM 10, SO<sub>2</sub>, NO<sub>x</sub>) is being submitted to the MoEF, Gol, Bhopal and the State Pollution Control Board once in six months.</p>
23	<p>Ambient air quality at the boundary of the mine premises shall confirm to the norms prescribed in MoEF notification no. GSR/826(E) dtd. 16.11.2009.</p>	<p>The ambient air quality at the boundary of the mine premises is within permissible limit.</p>
24	<p>Fugitive dust emissions from all the sources shall be controlled. Water spraying arrangement on haul roads, lading and unloading and at transfer points shall be provided and properly maintained. The dust emission shall be monitored regularl as per norms and records to be submitted to the Regional Office, MoEF, Gol, Bhopal and MPPCB regularly.</p>	<p>Water spraying arrangement has been made on haul roads, loading and unloading points and is properly maintained. The dust emission is monitored regularly as per norms and records submitted to the MoEF and MP PCB regularly.</p>
25	<p>Measures shall be taken for control of noise levels below 75 dBA in the work environment. Workers engaged in operations of HEMM, etc, shall be provided with ear plugs/muffs and health records of the workers shall be maintained.</p>	<p>Plantation has been done in boundary and machineries are properly maintained to control noise levels below 75 dBA in the work environment. The workers engaged</p>

		in operation of HEMM and working in noise prone area is provided with ear plugs / muffs and health records of the workers maintained.
26	Rain water harvesting shall be undertaken to recharge the ground water resource. Status of implementation shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MPPCB within six months and thereafter every year from the next consequent year.	Sump has been prepared of size 40m x 25m and 3m depth to provide adequate retention period to water. This help in recharging ground water table as well as make available water for sprinkling on road. No water is discharged in to any surface water source. The water from sump is used for mining & allied activities.
27	Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e. pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected shall be regularly sent to Regional Office, MoEF, GoI, Bhopal and MPPCB, Central Ground Water Authority and Regional Director, Central Ground Water Board.	Monitoring of ground and surface water sources are carried out. No contamination in the ground water and depletion has been observed.
28	The waste water from the mine if any, shall be treated to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The oil and grease trap shall be installed for the effluents generated from the workshop, if any, before discharging into the natural stream. The discharged water from the tailing dam, if any shall be regularly monitored and report submitted to the Regional Office, Ministry of Environment & Forests, GoI, Bhopal, Central Pollution Control Board, and the State Pollution Control Board.	No waste water is generated. It will be a zero discharge mine. No workshop is proposed in the ML area. No tailing will be created in view of no beneficiation involved.
29	Hydro-geological study of the area shall be reviewed by the project proponent annually. In case adverse effect on ground water quality is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on ground water is implemented.	The mining is restricted above ground water table. No adverse effect on ground water quality and quantity has been observed. If any adverse impact is noticed, mining will be stopped and resumed only after mitigating steps to contain any adverse impact on ground water is implemented.

30	Occupational health check up for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust etc shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures shall be conducted followed by follow up action wherever required. It should be made available for inspection whenever asked. Necessary funds for this also should be earmarked.	(i) Induction training and refresher training is imparted as per Mines Act. (ii) All protective equipments like boots, ear plug, dust mask etc. are provided to workers (iii) Periodic health survey for occupational health status about workers (iv) Doctor (specialist in occupational health and safety) is engaged to implement the proposed OH&S management (vi) Budget of Rs. 1.0 lakhs have been earmarked for occupational health activities and Training per annum. (vii) Besides enough care under control measure, a well equipped first aid room will be available in case of any accident.
31	Project Proponent shall ensure appropriate arrangement for shelter and drinking water for the mine workers.	The PP ensures maintenance work of rest shelter and facilities for drinking water for the mine workers.
32	Persons working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.	Agreed, protective respiratory devices such as dust mask will be continued to be provided to the workers. The labour will be imparted training as well as information.
33	Commitment towards CSR have to be followed strictly.	Commitments towards CSR is strictly followed. Rs. 1.98 lakh was spent on CSR during year 2024-25.
34	Special measures shall be adopted to prevent to nearby settlements from the impacts of mining activities.	Sprinkling of water on haul road, plantation in boundary and all other environmental protection measures are being adopted.
35	The Project Proponent shall inform to the Regional Office, MoEF, GoI, Bhopal and MPPCB regarding date of financial closures and final approval of the project by the concerned authorities and the date to start of land development work.	Agreed.

36	The necessary funds as per mandate shall kept for environmental protective measures which should be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional Office, MoEF, Gol, Bhopal and MPPCB.	The funds earmarked for environmental protective measures has been kept in separate account and not diverted for other purpose. Year wise expenditure reported.
37	The Regional Office, MoEF, Gol, Bhopal and MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment impact Assessment Report, Environmental Management Plan, Public Hearing and other relevant documents should be given to Regional Office, MoEF, Gol, Bhopal and MPPCB.	No comments. The papers have been submitted.
38	A copy of environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies, as applicable, in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.	A copy of clearance letter has been marked to concern Panchayat.
39	The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at <a href="http://www.mpseiaa.nic.in">www.mpseiaa.nic.in</a> and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal.	Advertisement has been given in two local news paper as directed.
40	The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.	Committed for directions/guidelines issued by MoEF, SEIAA,CPCB and other govt. agencies from time to time.
41	Action plan with respect to suggestions/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, Gol, Bhopal and MPPCB and to the competent authority of the State Govt. within six months.	Preference during employment has been given to manpower from nearby villages within 2 kms radius. The water is supplied for irrigation of the nearby fields after testing. .
42	The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory authority on 1st June and 1st December of each calendar year.	The project authorities is submitting half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy.
43	The SEIAA of M.P. reserves the right to add additional safeguard	Agreed.

	measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	
44	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Agreed.
45	The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.	No comments.
46	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed.
47	Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	No comments.
48	All other statutory clearance such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities	No storage of diesel is proposed. Permission under FCA 1980 is not required. Any other approval as per rule will be obtained, if applicable.
49	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely, SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Agreed.
50	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control	Copy enclosed.

	Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.	
--	--	--

**Thanking you,**

**Yours faithfully,**

**For S.N.S. (Minerals) Pvt. Limited**

**Executive Director / Nominated Owner**



रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

पंजीयन प्रमाणपत्र

पंजीकरण का विवरण

ई पंजीकरण संख्या	MP348622022A1770751
पंजीकरण की तिथि	21/07/2022
ई-पंजीयन प्रमाणपत्र के प्रिन्ट करने की तिथि	22/07/2022
संपत्ति का मूल्य(यदि लागू है)	3489912
प्रतिफल राशि / प्रतिभूत राशि / प्रीमियम राशि (रूपये)	0
पंजीयन शुल्क (रूपये)	366196
कुल स्टाम्प शुल्क (रूपये)	488261
उप पंजीयक का नाम	TANU KUSHWAHA
उप पंजीयक कार्यालय का नाम	उप पंजीयक कार्यालय सतना

पट्टादाता- स्वयं

नाम वृजेश कुमार मिश्रा  
पिता/पति का नाम --  
पता कलेक्टर कार्यालय खनिज विभाग सतना, सतना, मध्य प्रदेश, भारत

पट्टेदार- स्वयं


संगठन का नाम मेसर्स एस.एन.एस. मिनरल्स प्रायवेट लिमिटेड  
अधिकृत व्यक्ति का नाम श्री शत्रुघ्न प्रसाद तिवारी  
पता वार्ड नं० 13 शिवम नगर रीवा रोड मैहर जिला सतना म०प्र०, सतना, मध्य प्रदेश, भारत




Digitally signed  
by TANU PRIYA  
KUSHWAHA  
Date: 2022.07.22  
10:48:32 IST

उप पंजीयक  
सतना (म.प्र.)

उप पंजीयक के हस्ताक्षर







# रजिस्ट्रीकरण एवं स्टाम्प विभाग मध्य प्रदेश



## स्टाम्प शुल्क का प्रमाण पत्र

### ई स्टाम्प विवरण

ई स्टाम्प कोड	01013421072022011161		
ई स्टाम्प राशि (रुपए)	488261		
शासकीय स्टाम्प ड्यूटी (रुपए)	488261	नगर पालिका ड्यूटी (रुपए)	0
जनपद ड्यूटी (रुपए)	0	उपकर राशि (रुपए)	0
छूट दी गई राशि (रुपए)	0		
ई स्टाम्प का प्रकार	गैर न्यायिक		
निर्गमन तिथि एवं समय	21/07/2022 16:31:44		
यूजर आईडी / जारीकर्ता	Neelam Tripathi/SP013441109201900167		
एस पी / एस आर ओ / डी आर ओ / एच ओ विवरण	दुकान नं० 16 कलेक्ट्रेट परिसर धवारी रघुराजनगर सतना		

### डीड विवरण

विलेख का प्रकार	पट्टा
लिखत	किसी भी कालावधि का खनन पट्टा, जिसके अंतर्गत अवर-पट्टा या उप-पट्टा तथा पट्टे या उप-पट्टे पर देने या किसी पट्टे का नवीनीकरण करने के लिए कोई करार सम्मिलित है D (एक) मुख्य खनिज के मामले में D ऐसे पट्टे के अधीन देय या परिदेय पूरी रकम का 2 प्रतिशत। (दो) गोण खनिज के मामले में D ऐसे पट्टे के अधीन देय या परिदेय पूरी रकम का 1.25 प्रतिशत।
उद्देश्य	पट्टा



### पहले पक्ष के विवरण



नाम	बृजेश कुमार मिश्रा
पता	कलेक्टर कार्यालय खनिज विभाग सतना
व्यक्तियों की संख्या	1

### दूसरे पक्ष के विवरण

संगठन का नाम	मेसर्स एस.एन.एस. मिनरल्स प्रायवेट लिमिटेड
पता	वार्ड नं० 13 शिवम नगर रीवा रोड मैहर जिला सतना म०प्र०
व्यक्तियों की संख्या	1

खान एवं खनिज (विकास तथा विनियम) अधिनियम 1957 संशोधन अध्यादेश 2015 के अधीन खनिजों की अवधि के संबंध में पूरक अनुबंध पत्र निष्पादन दिनांक 19-07-2022







## रजिस्ट्रीकरण एवं स्टाम्प विभाग मध्य प्रदेश


यह पूरक अनुबंध खान एवं खनिज (विकास एवं विनियमन) संशोधन अधिनियम, 2015 के अधीन तथा म०प्र० शासन खनिज साधन विभाग मंत्रालय के आदेश क्रमांक एफ-19-5/2015/12-1 भोपाल दिनांक 12.03.2015 के अनुसार नान केप्टिव (Non Captive) उपयोग हेतु स्वीकृत खनिजपट्टा की मूल स्वीकृति अवधि के स्थान पर 50 वर्ष स्वीकृत मान्य (Deemed) विस्तारित किये जाने के संबंध में अधिनियम की धारा 8 ए (6) अनुसार किया जा रहा है।

खनिजपट्टाधारी श्री प्रमोद कुमार गुमास्ता को म०प्र० शासन खनिज साधन विभाग के आदेश क्रमांक एफ 3-47/81/12 भोपाल दिनांक 02.07.1981 के द्वारा ग्राम भटूरा तहसील मैहर जिला सतना के खसरा क्रमांक 39/1 के रकवा 4.047 हे० क्षेत्र पर खनिज चूनापत्थर 10 वर्ष की अवधि के लिये उत्खनिजपट्टा स्वीकृत किया गया, जिसके अनुबंध का निष्पादन दिनांक 22.12.1981 से होकर पंजीकृत हुआ था। उक्त स्वीकृत उत्खनिजपट्टा खनिजपट्टा में परिवर्तित होकर श्री रामकिशोर गुमास्ता के नाम पर अंतरित किया गया था जिसकी शेष अवधि 04.09.84 से 21.12.1991 तक के लिए स्वीकृत व अनुबन्धित होकर पंजीकृत थी।

स्वीकृत खनिजपट्टा म०प्र० शासन खनिज साधन विभाग के नवीनीकृत आदेश क्रमांक एफ 3-47/91/12 भोपाल दिनांक 02.07.1992 के द्वारा प्रथम नवकरण में 10 वर्ष के लिए नवीनीकृत होकर खनिज चूनापत्थर हेतु दिनांक 22.12.1991 से 21.12.2001 तक स्वीकृत व अनुबन्धित होकर के आदेश क्रमांक एफ 3-318/93/12 दिनांक 06.09.1994 को श्री रामकिशोर गुमास्ता के नाम से मेसर्स एस.एन.एस. मिनरल्स प्रायवेट लिमिटेड द्वारा श्री शत्रुघ्न प्रसाद तिवारी उम्र 72 वर्ष तनय श्री राम कुमार तिवारी निवासी वार्ड नं० 13 शिवम नगर रीवा रोड मैहर जिला सतना म०प्र० आधार कार्ड नं० 440159785195 मो० नं० 8435802174 के नाम अंतरित होकर शेष अवधि के लिए प्राप्त हुयी जिसके अंतरण का अनुबंध दिनांक 04.08.1995 को हुआ था। एवं द्वितीय नवकरण म०प्र० शासन खनिज साधन विभाग के नवीनीकृत आदेश क्रमांक एफ 3-57/2002/12/1 भोपाल दिनांक 25.07.2009 के द्वारा द्वितीय नवकरण में 20 वर्ष के लिये नवीनीकृत होकर खनिज चूनापत्थर हेतु दिनांक 22.12.2001 से 21.12.2021 तक स्वीकृत व अनुबंधित थी। म०प्र० खनिज साधन विभाग मंत्रालय के आदेश क्रमांक एफ-19-5/2015/12-1 भोपाल दिनांक 12-03-2015 के अनुसार नान केप्टिव हेतु स्वीकृत खनिजपट्टों के अधिनियम के प्रावधानों के अधीन वृद्धि किये जाने के संबंध में अधिनियम की धारा 8 ए (6) अनुसार स्वीकृत खनिजपट्टा मूल अनुबंधित पंजीयन दिनांक 22.12.1981 मूल स्वीकृति अवधि 10 वर्ष के स्थान पर 50 वर्ष प्रतिस्थापित कर स्वीकृत मान्य (Deemed) समझा जाकर दिनांक 21.12.2031 तक विस्तारित अवधि हेतु पूरक अनुबंध किया जा रहा है।

खान एवं खनिज (विकास एवं विनियमन) संशोधित अधिनियम 2015 के अधीन खनिजपट्टों की अवधि वृद्धि के संबंध में शर्तें खनिजपट्टा मूल स्वीकृत आदेश, नवीनीकरण स्वीकृत आदेश तथा खनिजपट्टा मूल अनुबंध पत्र तथा नवीनीकरण अनुबंध पत्र के अनुसार यथावत रहेगी तथा यह पूरक अनुबंध पत्र, मूल अनुबंध पत्र का भाग होगा। पूरक अनुबंध पत्र स्वीकृत खनिजपट्टा की विस्तारित अवधि 22.12.2021 से 21.12.2031 तक कुल 10 वर्ष के लिये किया जा रहा है। स्टाम्प ड्यूटी के लिये कुल रायल्टी 2,44,13,040/- (दो करोड़ चौवालिस लाख तेरह हजार चालिस रुपये मात्र) है।

भारतीय स्टाम्प अधिनियम 1899 के तहत स्टाम्प शुल्क रजिस्ट्रीकरण अधिनियम 1908 के तहत





रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

प्रस्तुति मुद्रा :


मेसर्स एस.एन.एस. मिनरल्स प्रायवेट  
लिमिटेड

प्रतिनिधित्व:- श्री शत्रुघ्न प्रसाद  
तिवारी



के द्वारा उप जिला रघुराजनगर जिला सतना के उप पंजीयक कार्यालय में तारीख 21/07/2022 को मध्याह्न पूर्व/मध्याह्न पश्चात  
05:52:17 बजे प्रस्तुत किया गया।

TANU PRIYA KUSHWAHA  
Sub Registrar  
SUB REGISTRAR OFFICE  
SATNA





रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

रजिस्ट्रेशन फीस जमा किया जाना तथा निष्पादित पूरक अनुबंध का पंजीयन कराया जाना अनिवार्य होगा।

कलेक्टर

जिला सतना म०प्र० द्वारा हस्ताक्षरित

तारीख

पट्टेदार

मेसर्स एस.एन.एस. मिनरल्स प्रायवेट लिमिटेड

द्वारा श्री शत्रुघ्न प्रसाद तिवारी तनय श्री राम कुमार तिवारी

साक्षी

1.

गुलाम अहमद उम्र 52 वर्ष

तनय श्री सौनुल कबीर खान


पता- पुरान बस्ती खटोलन टोला मैहर सतना आधार कार्ड नं० 952448579138

2.

उमेश कुमार व्दिवेदी उम्र 44 वर्ष

तनय श्री रामविश्वास व्दिवेदी

पता- बम्हौरी जिला सतना म०प्र० आधार कार्ड नं० 985856192013





रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

निष्पादन की मुद्रा :

बृजेश कुमार मिश्रा

पता: कलेक्टर कार्यालय खनिज विभाग सतना

स्वीकार करते हैं कि कथित पट्टा विलेख का निष्पादन किया गया था और प्रतिफल के पूर्ण रूप 0 प्राप्त हो गये हैं तथा रूप 0 उन्हें मेरी उपस्थिति में चुकाये गये थे और प्रतिफल की बकाया रकम रूप 0 बच गयी है, जो पंजीयन के बाद प्राप्त होगी। तारीख  
21/07/2022



TANU PRIYA KUSHWAHA  
Sub Registrar  
SUB REGISTRAR OFFICE  
SATNA



रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

संपत्ति विवरण अनुलग्नक

संपत्ति आईडी	34191202207603119						
संपत्ति का प्रकार	कृषि भूमि						
संपत्ति का सीमा चिन्ह : रोड से अंदर							
संपत्ति का पता : ग्राम भटूरा तहसील मैहर जिला सतना							
विकास खण्ड (विकास खंड) : --							
राजस्व निरीक्षक वृत्त : --							
लेआउट का विवरण : 4.047 हे०							
नजूल / शीट क्रमांक : --							
भूखण्ड क्रमांक : --							
खसरा का विवरण और चतुर्सीमा का विवरण							
खसरा क्रमांक	खसरा क्षेत्रफल	लगान / भूमि राजस्व (रूपये)	ऋण पुस्तिका क्रमांक	उत्तरी सीमा	दक्षिण सीमा	पूर्व सीमा	पश्चिम सीमा
39/1	4.077	0	NA	NA	NA	NA	NA
अतिरिक्त अपलोड							
Gawah_0.jpg							
Gawah_1.jpg							
deed_2.jpg							





रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

गवाह मुद्रा :

umeshkumar dwivedi

S/O ramvishwash

पता: bambhauri satna


gulam ahmad

S/O saumul kabecr

पता: khatolan tola maihar satna

की जांच पूर्वोक्त निष्पादक / निष्पादकों की शिनाख्त के विषय में की गयी है । तारीख 21/07/2022

TANU PRIYA KUSHWAHA  
Sub Registrar  
SUB REGISTRAR OFFICE  
SATNA





रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

जिला	शरणा		
तहसील	मेहर		
क्षेत्र प्रकार	ग्राम - क्षेत्र		
उप क्षेत्र प्रकार	नान प्लानिंग क्षेत्र		
पट्टासि हद्दका / गांथ	पट्टासि हद्दका न० १०८		
ग्राम / मोहल्ला / कालोनी	भटेवाग		
क्या एक से अधिक खेता है?	नहीं		
क्या खेता एक ही परिवार के हैं?	नहीं		
खेताओं की संख्या	0		
क्या आप अपने हिस्से का खुदासा करना चाहते हैं?	नहीं		
क्या कृषि भूमि पर रोड़ है?	नहीं		
संपत्ति 1 : असह्यपत्तिका			
क्षेत्र का विवरण (हेक्टेयर)			
कुल क्षेत्रफल	असिद्धित एक फरसदी भूमि का कुल क्षेत्रफल	असिद्धित दो फरसदी भूमि का कुल क्षेत्रफल	सिद्धित भूमि का क्षेत्रफल
4.077	0	0	4.077
क्या कृषि भूमि पर थोड़े निर्माण है?			नहीं

कुल मुद्रांक एवं छूट			
छूट मुद्रांक शुल्क (रु)	0.0	छूट पंजीयन शुल्क (रु)	0.0
कुल देय शुल्क (रु)	488261.0	कुल देय पंजीयन शुल्क	366196.0
कुल प्रीमियम	0.0		
सम्पूर्ण पट्टे हेतु कुल रॉयल्टी	24413040		



रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

अंगुष्ठ चिन्ह मुद्रा :



इस दस्तावेज के निष्पादक के अंगुठे का निशान मेरे द्वारा/मेरी उपस्थिति में दिनांक 21/07/2022 को लिया गया ।

TANU PRIYA KUSHWAHA  
Sub Registrar  
SUB REGISTRAR OFFICE  
SATNA



इस दस्तावेज के निष्पादक श्री शत्रुघ्न प्रसाद तिवारी के अंगुठे का निशान मेरे द्वारा/मेरी उपस्थिति में दिनांक 21/07/2022 को लिया गया ।

TANU PRIYA KUSHWAHA  
Sub Registrar  
SUB REGISTRAR OFFICE  
SATNA

गवाह मुद्रा :



umeshkumar dwivedi



# रजिस्ट्रीकरण एवं स्टाम्प विभाग मध्य प्रदेश

यह/इस दस्तावेज के सभी पृष्ठों के विवरणों एवं प्रविष्टियों को, दस्तावेज के आईडी 28898717 तथा ई-स्टाम्प कोड 01013421072022011161 सहित, एतद् द्वारा अभिप्रमाणित एवं पुष्टि करते हैं, तथा गैर/अपने निम्नलिखित हस्ताक्षरों से इस दस्तावेज को निष्पादित भी करते हैं।

प्रथम पक्षकार/ पक्षकारों के हस्ताक्षर:  
नाम तथा पिता का नाम:

*[Signature]*  
**अश्विनीकुमार हस्तधारी**  
जन्म-स्थिति अधिकारी  
एनो-कॉम्प्यूटर सल्लाह (म.प्र.)

द्वितीय पक्षकार/ पक्षकारों के हस्ताक्षर:  
नाम तथा पिता का नाम:

M/S. S.N.S. (Minerals) Private Limited  
*[Signature]*  
Director

अन्य पक्षकार/ पक्षकारों के हस्ताक्षर:  
नाम तथा पिता का नाम:

पक्ष 1 का नाम  
पिता  
हस्ताक्षर  
आईडी का टाईप तथा नम्बर

**शुभान अहमद**  
**पुजारी बरती खोटासंगवेल/बैरठ**  
जिला सतना

पक्ष 2 का नाम  
पिता  
हस्ताक्षर  
आईडी का टाईप तथा नम्बर


**अश्विनीकुमार खिलेडी**  
**बम्होरी, जिला सतना**

आधारक नं. - 9 52448579138

आधारक नं. 98 585619813



MP-IGRS MP-IGRS MP-IGRS MP-IGRS  
MP-IGRS MP-IGRS MP-IGRS MP-IGRS  
MP-IGRS MP-IGRS MP-IGRS MP-IGRS





रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

गवाह मुद्रा :



gulam ahmad



# रजिस्ट्रीकरण एवं स्टाम्प विभाग मध्य प्रदेश

स्टाम्प शुल्क मुद्रा:


स्टाम्प शुल्क	488261
नगरीय शुल्क	0
जनपद पंचायत शुल्क	0
उपकर	0
अतिरिक्त शुल्क	0
चुकाया गया स्टाम्प शुल्क	488261



*(Signature)*

TANU PRIYA KUSHWAHA  
Sub Registrar  
SUB REGISTRAR OFFICE  
SATNA

MPKRS MPGRS MPHRS MPHGRS  
MPKRS MPGRS MPHRS MPHGRS  
MPKRS MPGRS MPHRS MPHGRS





रजिस्ट्रीकरण एवं स्टाम्प विभाग  
मध्य प्रदेश

पंजीकरण मुद्रा :

इस दस्तावेज का इलेक्ट्रानिक पंजीयन दिनांक 21/07/2022 को क्रमांक  
MP348622022A1770751 दे कर किया गया है। जिसमें 16 पृष्ठ समाविष्ट हैं

स्टाम्प शुल्क 488261




पंजीयन शुल्क 366196

प्रतिलिपि शुल्क 0

अधिक 0

योग 366196

TANU PRIYA KUSHWAHA  
उप पंजीयक  
उप पंजीयक कार्यालय सतना





**State Environment Impact Assessment Authority, M.P.**  
(Ministry of Environment, Forest and Climate Change, Government of India)

**Environmental Planning & Coordination Organization**

Paryavaran Parisar, E-5, Arera Colony  
Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : mpseiaa@gmail.com

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

To,  
M/s S.N.S. (Minerals) Pvt. Ltd.,  
Shri Sanjiv Beri,  
NH-7, Rewa Road, P.O. Maihar,  
District - Satna (MP) - 485771

No.: 1075 /SEIAA 21  
Date: 1.6.21

**Sub: Case No. 3753/2015**, Prior Environment Clearance for **Bhatoora Limestone Mine** in an area of 4.047 ha for production capacity of 73,490 TPA at Village-Bhatoora, Tehsil-Maihar, District-Satna (MP) by M/s S.N.S. (Minerals) Pvt. Ltd., Shri Sanjiv Beri, NH-7, Rewa Road, P.O. Maihar, District-Satna (MP)-485771.

The case was discussed in 675<sup>th</sup> SEIAA meeting dtd 08.04.2021 and it has been recorded that .....

"This is a case of amendment in the name of a company in the Prior EC Letter. Shri S.P. Tiwari, Director, M/s S.N.S. (Minerals) Pvt. Ltd., N.H.-7, Rewa Road, P.O. Maihar, Dist-Satna (MP) vide letter no. nil dated 22.03.2021 has informed that:

1. The Prior EC Letter for Mining Lease of **Bhatoora Limestone Mine** at Village-Bhatoora, Tehsil-Maihar, District-Satna (MP) granted to M/s S.N.S. (Minerals) Pvt. Ltd., N.H.-7, Rewa Road, P.O. Maihar, Dist-Satna (MP) vide Letter No. 1958/SEIAA/18 dated 08.01.2019.
2. That the constitution of the company has changed from public limited to private limited and as such the name of the company has been changed from M/s S.N.S. (Minerals) Limited to S.N.S. (Minerals) Private Limited with due approval from shareholders and National Company Law Tribunal vide order dated 14.09.2018, thereafter the certificate of incorporation upon the change of name of the company has been issued by the registrar of companies, Kolkata dated 24.10.2018 and submitted a copy of NCLT order dated 14.09.2018 and C.O.I. dated 24.10.2018.
3. That on the request of PP and on the basis of due approval by Collector Katni and Satna, the Mineral Resource Department Govt. of Madhya Pradesh vide order no. 1879/1354/2019/12/2, dated 08.05.2020 changed the name of the company from M/S S.N.S. (Minerals) Limited to M/s S.N.S. (Minerals) Private Limited in all the mining leases granted in district Katni and Satna.
4. That in compliance to order of State Govt., the supplementary agreement executed on 25.11.2020 duly approved by Collector Satna and from that date lease holder's name in Mining leases changed from M/s S.N.S. (Minerals) Limited to M/s S.N.S. (Minerals) Private Limited.
5. That no other change has occurred except the constitution of the company from public limited to private limited and the Board of Directors there remains same.
6. That undertaking for compliance of the EC conditions granted to M/s S.N.S. (Minerals) Limited is enclosed.
7. That no objection for change in name from M/s S.N.S. (Minerals) Limited to M/s S.N.S. (Minerals) Private Limited is enclosed by Shri S.P. Tiwari, Director .N.S. (Minerals) Private Limited.


In view of the above PP requested to amend the name of the company from M/s S.N.S. (Minerals) Limited to M/s S.N.S. (Minerals) Private Limited in the Prior EC Letter No. 1958/SEIAA/18 dated 08.01.2019 issued by SEIAA.

*The committee after detailed examination of information submitted by PP and discussion decided to amend the name of company M/s S.N.S. (Minerals) Limited to M/s S.N.S. (Minerals) Private Limited in the Prior EC Letter No. 1958/SEIAA/18 dated 08.01.2019 issued by SEIAA. The other terms and conditions of the EC letter shall remain the same. Copy to PP and all concerned."*

In view of above, amended the name of company M/s S.N.S. (Minerals) Limited to M/s S.N.S. (Minerals) Private Limited in the Prior EC vide Letter No. 1958/SEIAA/18 dated 08.01.2019 issued by SEIAA" on the same terms & conditions and validity period under which the prior environmental clearance was initially granted.


1076  
Endt No. / SEIAA/2021

Dated 01.6.21

  
(Shriman Shukla)  
Member Secretary

Copy to:-

1. Principal Secretary, Department of Environment, Government of Madhya Pradesh, Mantralaya, Bhopal.
2. Member Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016
3. Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016
4. Collector, District Satna, M. P.
5. Divisional Forest Officer, District Satna, M. P.
6. I.A. Division, Monitoring Cell, MoEF& CC, Gol, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi- 110 003.
7. Director (S), Regional office of the MOEF, Western Region, Kendriya Paryavaran Bhawan, Link Road No. 3 Ravi Shankar Nagar, Bhopal-462016
8. Director, Geology & Mining, Madhya Pradesh, 29-A, Khanij Bhawan, Arera Hills, Bhopal - 462002.
9. District Mining Officer, District Satna, M. P.
10. DEO, SEIAA for upload website.
11. Guard file

  
(Alok Nayak)  
Officer-in-Charge





**State Environment Impact Assessment Authority, M.P.**  
(Government of India, Ministry of Environment, Forests & Climate Change)

**Environmental Planning & Coordination Organization**

Paryavaran Parisar, E-5. Arera Colony

Bhopal-4620 16

visit us <http://www.mpseiaa.nic.in>

Tel:0755-2466970, 2466859

Fax : 0755-2462136

No: 1958 / SEIAA /18

Date: 08.1.19

To,  
M/s S.N.S. Minerals Ltd.,  
Shri Sanjeev Beri,  
NH-7, Rewa Road, P.O. Maihar,  
District Satna (MP)-485771

**Sub: - Case No. – 3753/2015** Prior Environmental Clearance for **Bhatoora Limestone Mine** (opencast other than fully mechanized method) in an area of 4.047 ha. for production capacity 73490 TPA at Khasra no.-39/1 at Village-Bhatoora, Tehsil-Maihar, District-Satna (MP) by M/s S.N.S. Minerals Ltd., Shri Sanjeev Beri, NH-7, Rewa Road, P.O. Maihar, District Satna (MP)-485771.

This has reference to your letter received in SEIAA office on 03.09.2015 and subsequent letters seeking Prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., the Form - I, Pre-Feasibility Report, ToR and subsequently submission of EIA, Public Hearing and the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

II. It has been noted that the proposal is for **Limestone Mine** in an area of 4.047 ha. The mining lease area is located in Khasra No. 39/1 at Village- Bhatoora, Tehsil-Maihar, District-Satna (M.P.). It lies at geographical co-ordinates at latitude 24°05'28.6" to 24°05'36.5" N and longitude 80°40'20.9" to 80°40'37.7" E. There is no National Park/Santuary within 10 Km radius. There is no forest boundary within 250 m. Mining Plan is approved by the IBM (vide Letter No. MP/Satna/Limestone/M.Sch-82/12-13/210 dated 17.06.2013).

The proposed project is for production capacity 73490 TPA. The mining will be carried out by Opencast other than fully mechanized method. The total water requirement is 13 KLD (Dust Suppression – 08 KLD + Green Belt – 01 KLD + Drinking/Domestic purpose 04 KLD), which shall be met from mine sump and ground water source situated in ML area. The public hearing was conducted at Mining site at Village – Bhatoora, Tehsil – Maihar, Distt. – Satna on 11.05.2017 under Chairmanship of ADM, Satna,

III. The project has been considered in accordance with the provisions of the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th Septezber 2006.

IV. Based on the information submitted, as at Para (II) above and others the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 504<sup>th</sup> meeting dtd. 19.09.2018 and decided to accept the recommendations of 324<sup>th</sup> SEAC meeting dtd. 19.08.2018.

Hence, Prior Environmental Clearance is granted for **Bhatoora Limestone Mine** (opencast other than fully mechanized method) in an area of 4.047 ha. for production capacity 73490 TPA at Khasra no.-39/1 at Village-Bhatoora, Tehsil-Maihar, District-Satna (MP) **for the lease period** to M/s S.N.S. Minerals Ltd., Shri Sanjeev Beri, NH-7, Rewa Road, P.O. Maihar, District Satna (MP)-485771, subject to the compliance of following specific conditions as recommended by SEIAA & SEAC-II and subsequent Standard Conditions.

#### A. Specific Conditions

1. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
2. Lease agreement shall be carried out before execution of mining operation.
3. PP shall demarcate a barrier zone of 7.5 m as "no mining zone" in the periphery of mining lease area and developed a green belt.
4. Plantation programme as mentioned in EIA/EMP and presented during presentation in SEIAA & SEAC shall be followed in content and spirit.
5. The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.
6. PP will plant 3 years old 2300 saplings of suitable indigenous tree species during first year with indigenous local varieties like Neem, Peepal, Kadam, Karnj, Kachnaar etc. and plantation of 2350 trees along the transportation route upto the junction of NH during first year.
7. Transportation of minerals shall not be carried out inside the village area.
8. PP shall ensure that the mine waste water should not be discharge outside the mining lease area and may reused in the mining activities.
9. No overburden will be dumped outside the mine lease area.
10. The over burden and waste will be stacked for five years and then simultaneously backfilled in the mined out area where plantation will be raised on it.
11. PP shall ensure protection and conservation of existing trees falling under mining lease area and in no way these will be permitted to be cut / uprooted
12. PP shall ensure generation of employment opportunities to nearby Village on priority bases.
13. Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
14. Proper infrastructure with shelter, drinking water, toilet and first-aid facilities shall be provided for the laborers. A provision should be made to construct a pakka rest shelter along with toilet and drinking water facility.
15. PP should also carry out regular sprinkling in the mining lease area to arrest dust emission from mining activities affecting the nearby agriculture fields
16. Mining shall be limited to the area as shown in surface plan and as per the approved mining scheme.
17. PP shall ensure the proper water supply arrangements for plantation especially in summer season.
18. PP shall adopt Bhatoora village and prepare the development plan in consultation with Gram panchayat/Sarpanch under the guidance of District Collector.
19. Under CSR activity in addition to the proposed activities following activities should be added.
  - a) Construction and maintenance of Cow shelter (Gaushala)
  - b) Provide drinking water facility at Village Bhatoora, Padrehi & Gonrwal (two hand pump and one tank).
  - c) Construction of community hall at nearby village.
  - d) Sanitation activities including construction of individual toilets for local residents of nearby village in consultation with village Panchayat.
  - e) Installation of rainwater harvesting structure in nearby schools building.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Administration and Gram Panchayat.**

20. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA.
21. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars.
22. Necessary consents for proposed activity shall be obtained from MPPCB and the air / water pollution control measures have to be installed as per the recommendation of MPPCB.
23. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
24. PP will also carry out fencing all around the lease area.
25. If any tree uprooting is proposed necessary permission from the competent authority should be obtained for the same.
26. For dust suppression, regular sprinkling of water should be undertaken.
27. Maintain haul road and this will be compacted regularly and transport road will be made pucca (tar road) and shall be constructed prior to operation of mine.
28. PP will obtain other necessary clearances/NOC from respective authorities.
29. Control Blasting shall be carried out.
30. No explosive will be stored at mine site.
31. Overcharging of the drill hole during shot firing should be avoided.
32. Curtaining of site shall be done through thick plantation all around the boundaries of all part of lease. The proposed plantation scheme should be carried out along with the mining and PP would maintain the plants for five years including casualty replacement. Initially, dense plantation shall be developed along the site boundary (in three rows) to provide additional protection in one year only.
33. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. As proposed in the landscape plan & EMP a minimum of 2350 nos of trees will be planted on 1.697 ha including barrier zone and Backfilled area.
34. Transportation of material shall be done in covered vehicles.
35. Transportation of minerals shall not be carried out through forest area.
36. The OB as basalt shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
37. Garland drain and bund along with settling tank will be maintained in the boundary side and around dump to prevent siltation of low lying areas and in rush of water into the mine. The size of the drain will be 1100 m x 2 m x 1.5 m. The sump will be prepared at lowest level in quarry and will be de silted at regular interval for proper sedimentation.
38. For dust suppression over head Sprinkler through water tankers should be provided on transport road for dust suppression.
39. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular desilting of drains and pits should be carried out.
40. The existing and proposed land use plan of the mine is as follows:

S.No.	Description	Area (ha)	%
1	Agriculture	18196.63	55.51
2	Open land	663.3	2.03
3	Water Bodies	141.7	0.43
4	Vegetation	53.48	0.16
5	Forest	10502.09	32.21
6	Open Scrub	2071.62	6.35
7	Settlements	972.18	2.98
<b>Total</b>		<b>32601</b>	<b>100</b>

41. Appropriate and submitted activities shall be taken up for social up-liftment of the Region. Funds reserved towards the same shall be utilized through Gram Panchayat. Further any need base and appropriate activity may be taken up in coordination with local panchayat.
42. PP will take adequate precautions so as not to cause any damage to the flora and fauna during mining operations.
43. The commitments made in the public hearing are to be fulfilled by the PP.
44. Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
45. PPE's such as helmet, ear muffs etc should be provide to the workers during mining operations.

46. The proposed EMP cost is Rs. 6.25 lacks and Rs. 6.80 lacks /year are proposed as capital and recurring expenses respectively out of which Rs. 3.25 lacks/year is proposed for green belt development inclusive of green belt along transport road and Rs. 1.25 lacks capital and 1.25 lacks /year for recurring expenses for construction and maintenance of road to mine proposed in the EMP of this project.
47. Under CSR activity, Rs. 5.00 lacks and Rs. 2.00 lacks /year are proposed as capital and recurring expenses respectively in different activities and should be implemented through respective committees.
48. Separate budget of Rs. 1.00 lakh shall be spent on Health awareness and camps for local community in village Bhatooara, Padrehi & Gonrwal.
49. The environment policy of the company should be framed as per MoEF&CC guidelines and same should be implemented through monitoring cell. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
50. A separate bank account should be maintained for all the expenses made in the EMP activities by PP for financial accountability and these details should be provided in Annual Environmental Statement.
51. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
52. PP will comply with all the commitments made vide letter dated 19.08.2018.
53. Expansion or modernization in the project, entailing capacity/ built-up area/ project area, addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.


#### **B. Standard Conditions**

1. All activities / mitigative measures proposed by PP in Environmental Impact Assessment and approved by SEAC must be ensured.
2. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
3. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
4. Blast vibrations study shall be conducted and submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB within six months. The study shall also provide measures for prevention of blasting associated impact on nearby houses and agricultural fields.
5. Controlled blasting techniques with sequential drilling shall be adopted. The blasting shall be carried out in the day time only.
6. Slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of Mines.
7. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB within 5 years in advance of final mine closure for approval.
8. No change in the calendar plan including excavation, quantum of mineral and waste shall be made.
9. Mining will be carried out as per the approved mining plan. In case of any violation of mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
10. Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.
11. The transportation of the minerals extracted from the mining area shall be limited to day hours time only.
12. Maintenance of near by local roads through which transportation of minerals are undertaken shall be carried out by the company regularly at its own expenses. The roads shall be black topped.
13. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
14. Trenches / garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of check dams and gully plugs shall be constructed across seasonal/ perennial Nallahs, if any, flowing through the ML area and silts arrested. De- silting at regular intervals shall be carried out.
15. The project proponent will ensure necessary protection measures around the mine pit, waste dumps and garland drain.
16. Top soil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of mined out area. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.

17. Over burden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of maximum 10 m and overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled and shall be scientifically vegetated with suitable native species to prevent erosion & surface run off.
18. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB on six monthly basis.
19. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agriculture Deptt. Herbs & shrubs shall also form a part of afforestation programme besides tree plantation. The company shall involve local people for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB every year.
20. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the course of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through wild life sanctuary, if any in the study area.
21. Four ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO<sub>2</sub>, NO<sub>x</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly up-loaded and displayed on the company's website.
22. Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the Regional office, MoEF, GoI, Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.
23. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dtd. 16.11.09.
24. Fugitive dust emissions from all the sources shall be controlled. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained. The dust emission shall be monitored regularly as per norms and records to be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB regularly.
25. Measures shall be taken for control of noise levels below 75 dBA in the work environment. Workers engaged in operations of HEMM, etc., shall be provided with ear plugs / muffs and health records of the workers shall be maintained.
26. Rain water harvesting shall be undertaken to recharge the ground water source. Status of implementation shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB within six months and thereafter every year from the next consequent year.
27. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e. pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected shall be regularly sent to Regional Office, MoEF, GoI, Bhopal, MP PCB, Central Ground Water Authority and Regional Director, Central Ground Water Board.
28. The waste water from the mine if any, shall be treated to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The oil and grease trap shall be installed for the effluents generated from the workshop, if any, before discharging into the natural stream. The discharged water from the tailing dam, if any shall be regularly monitored and report submitted to the Regional Office, Ministry of Environment & Forests, GoI, Bhopal, Central Pollution Control Board, and the State Pollution Control Board.
29. Hydro-geological study of the area shall be reviewed by the project proponent annually. In case adverse effect on ground water quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on ground water is implemented.
30. Occupational health check up for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures shall be conducted followed by follow up action wherever required. It should be made available for inspection whenever asked. Necessary funds for this also should be earmarked.

31. Project Proponent shall ensure appropriate arrangement for shelter and drinking water for the mine workers.
32. Persons working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
33. Commitment towards CSR have to be followed strictly.
34. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
35. The Project Proponent shall inform to the Regional Office, MoEF, GoI, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
36. The necessary funds as per mandate shall kept for environmental protective measures which should be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional Office, MoEF, GoI, Bhopal and MP PCB.
37. The Regional Office, MoEF, GoI, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing and other relevant documents should be given to Regional Office, MoEF, GoI, Bhopal and MP PCB.
38. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies, as applicable, in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
39. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal.
40. The project proponent has to strictly follow directions/guideline issued by the MoEF, GoI, CPCB and other Govt. agencies from time to time.
41. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, GoI, Bhopal, MP PCB and to the competent authority of the State Govt. within six months.
42. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1st June and 1st December of each calendar year.
43. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
44. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
45. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
46. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
47. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
48. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
49. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.


50. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

  
(Jitendra Singh Raje)  
Member Secretary

1959  
Endt No. / SEIAA/18 Dated: 8/1/19

Copy to:-

1. Principal Secretary, Department of Urban Development & Environment, Government of Madhya Pradesh, Mantralaya, Bhopal.
2. Member Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-4620 16
3. Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016
4. Collector, District Satna, (M. P)
5. Divisional Forest Officer, District Satna, (M. P)
6. I.A. Division, Monitoring Cell, MoEF& CC, Gol, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi- 110 003.
7. Director (S), Regional office of the MOEF, Western Region, Kendriya Paryavaran Bhawan, Link Road No. 3 Ravi Shankar Nagar, Bhopal-462016
8. Director, Geology & Mining, Madhya Pradesh, 29-A, Khanij Bhawan, Arera Hills, Bhopal – 462002.
9. District Mining Officer, District Satna, (M. P)
10. DEO, SEIAA, for update on website
11. Guard file

  
(Dr. Sanjeev Sachdev)  
Officer-in-Charge



# Consent Order

M.P. Pollution Control Board  
E-5, Arera Colony  
Paryavaran Parisar, Bhopal - 16 MP  
Tele : 0755-2466191, Fax-0755-2463742

RED-SMALL	CTE-Fresh	VALID UP TO: 31/12/2023	CONSENT NO: ***	PCB ID: 19642
-----------	-----------	-------------------------	-----------------	---------------

To,  
M/s. S.N.S.(Minerals)ltd. Lime Stone Mines, Village Bhatura,  
4.047 HECT., MAIHAR,  
BHATURA, City : HATURA,  
Tal : Maihar, Dist : Satna, (M.P.)

**Subject:** Grant of Consent to Establish under section 25 of the Water (Prevention & Control of Pollution) Act,1974 under section 21 of the Air (Prevention & Control of Pollution) Act,1981

**Ref:** Your Consent to Establish Application Receipt No. 767228 Dt. 14/01/2019 and last communication received on Dt.17/01/2019

Without prejudice to the powers of this Board under section 25 of the Water (Prevention & Control of Pollution) Act,1974 under section 21 of the Air (Prevention & Control of Pollution) Act,1981 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants Consent to Establish for setting up of a mining activities at lease area of 4.047 HECT., Village - BHATURA Tehsil - Maihar, Distt -Satna, (M.P.)

### SUBJECT TO THE FOLLOWING CONDITIONS :-

- a. Location:** Latitude and Longitude – 24° 05' 28.6" - 24° 05' 36.5" and 80° 40' 20.9" - 80° 40' 37"  
Village - BHATURA Tehsil - Maihar, Distt - Satna, (M.P.)
- b. Mining Lease area:** 4.047 ha
- c. Product & Production Capacity:**

Product	CTE Qty
Mining of Lime Stone	73,490 Tons Per Year

The consent (for operation) as required shall be granted to your industry after fulfillment of all the conditions mentioned above. For this purpose you shall have to make an application to this Board in the prescribed proforma at least two months before the expected date of commissioning of your industry. The applicant shall not operate the unit without obtaining consent for operation from the Board and shall not bring in to use any out let for the discharge of effluent and gaseous emission.

### Enclosures:-

- \* Conditions under Water Act
- \* Conditions under Air Act
- \* General conditions

CC to :-

1. District Mining Officer, (Mining Section), Collector office, Satna Dist. Satna (M.P.) for information.
2. Director, Geology & Mining Khanij Bhawan 29-A, Arera Hills, , Bhopal (M.P.) for necessary action please.
3. Regional officer, Regional office, MPPCB, Satna (M.P.)



e-Signed On 22/01/2019 12:58:40  
(Organic Authentication on AADHAR from UIDAI Server)  
TPAV # 2J4VKAHVSC

ACHYUT ANAND MISHRA  
Member Secretary

**Consent No:CTE-49387,Validity:31/12/2023, Outward No:87945,22/01/2019**



# Consent Order

M.P. Pollution Control Board  
E-5, Arera Colony  
Paryavaran Parisar, Bhopal - 16 MP  
Tele : 0755-2466191, Fax-0755-2463742

## CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of trade effluent at out fall of the unit shall not exceed 0.00 KL/day, and the daily quantity of sewage at out fall of the unit shall not exceed 0.30 KL/day

2. Trade Effluent Treatment:- ( If any)

The applicant shall provide comprehensive effluent treatment system and maintain the same properly to achieve following standards-

pH	Between	5.5 – 9.0	TDS	Not exceed	2100 mg/l.
Suspended Solids	Not exceed	100 mg/l.	Chlorides	Not exceed	1000 mg/l.
BOD <sub>3</sub> Days 27°C	Not exceed	30 mg/l.			
COD	Not exceed	250 mg/l.			
Oil and grease	Not exceed	10 mg/l.			

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

3. Sewage Treatment :- The applicant shall provide comprehensive sewage treatment system and maintain the same properly to achieve following standards-

pH	Between	6.5 – 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD <sub>3</sub> Days 27°C	Not exceed	30 mg/l.
COD	Not exceed	250 mg/l.
Oil and grease	Not exceed	10 mg/l.

4. The effluent shall be treated up to prescribed Standards and reuse in the process, for cooling and for green belt devolvement/gardening within premises. Hence zero discharge condition shall be practiced. In no case treated effluent shall be discharged outside of industry/unit premises.

5. Any change in production capacity, process, raw material used etc. and for any enhancement of the above prior permission of the Board shall be obtained. All authorized discharges shall be consistent with terms and conditions of this consent. Facility expansions, production increases or process modifications which result new or increased discharges of pollutants must be reported by submission of a fresh consent application for prior permission of the Board

6. All treatment/control facilities/systems installed or used by the applicant shall be regularly maintained in good working order and operate effectively/efficiently to achieve compliance of the terms and conditions of this consent

7. The specific effluent limitations and pollution control systems applicable to the discharge permitted herein are set forth as above conditions.

8. Compilation of Monitoring-

i. Samples and measurements taken to meet the monitoring requirements specified above shall be representative of the volume and nature of monitored discharge.

ii. Following promulgation of guidelines establishing test procedures for the analysis of pollutants, all sampling and analytical methods used to meet the monitoring requirements specified above shall conform to such guidelines unless otherwise specified sampling and analytical methods shall conform to the latest edition of the Indian Standard specifications and where it is not specified the guidelines as per standard methods for the examination of Water and Waste latest edition of the American Public Health Association, New York U.S.A. shall be used.

iii. The applicant shall take samples and measurement to meet the monthly requirements specified above and report online through XGN the same to the Board.

9. Recording of Monitoring-

i. The applicant shall make and maintain online records of all information resulting from monitoring activities by this Consent.

ii. The applicant shall record for each measurement of samples taken pursuant to the requirements of this Consent as follows:

- (i) The date, exact place and time of sampling
- (ii) The dates on which analysis were performed

**Consent No: CTE-49387, Validity: 31/12/2023, Outward No: 87945, 22/01/2019**



- (iii) Who performed the analysis?
- (iv) The analytical techniques or methods used and
- (v) The result of all required analysis

iii. If the applicant monitors any Pollutant more frequently as is by this Consent he shall include the results of such monitoring in the calculation and reporting of values required in the discharge monitoring reports which may be prescribed by the Board. Such increased frequency shall be indicated on the Discharge Monitoring Report Form.

iv. The applicant shall retain for a minimum of 3 years all records of monitoring activities including all records of Calibration and maintenance of instrumentation and original strip chart regarding continuous monitoring instrumentation. The period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the applicant or when requested by Central or State Board or the court.

#### 10. Reporting of Monitoring Results:-

Monitoring Information required by this Consent shall be summarized and reported by submitting a Discharge Monitoring report on line to the Board.

#### 11. Limitation of discharge of oil Hazardous Substance in harmful quantities:-

The applicant shall not discharge oil or other hazardous substances in quantities defined as harmful in relevant regulations into natural water course. Nothing in this Consent shall be deemed to preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities, or penalties to which the applicant is or may be subject to clauses.

#### 12. Limitation of visible floating solids and foam:

During the period beginning date of issuance the applicant shall not discharge floating solids or visible foam.

#### 13. Disposal of Collected Solid-

All hazardous waste/sludge shall be disposed of as per the Authorization issued under Hazd & other waste Rules 2016. And/other Solids Sludges, dirt, silt or other pollutant separated from or resulting from treatment shall be disposed of in such a manner as to prevent any pollutant from such materials from entering any such water Any live fish, Shall fish or other animal collected or trapped as a result of intake water screening or treatment may be returned to eaters body habitat.

#### 14. Provision for Electric Power Failure-

The applicant shall assure to the consent issuing authority that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities utilized by the applicant to maintain compliance with the terms and conditions of the Consent.

#### 15. Prohibition of By pass system-

The diversion or by-pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this Consent is prohibited except :

- i. where unavoidable to prevent loss of life or severe property damage, or
- ii. Where excessive storm drainage or run off would damage any facilities necessary for compliance with the terms and conditions of this Consent. The applicant shall immediately notify the consent issuing authorities in writing of each such diversion or by-pass in accordance with the procedure specified above for reporting non-compliance.

16. Industry/Institute/mine management shall submit the information online through XGN in reference to compliance of consent conditions.

#### **Additional Water condition:- (if any) :-**

- 1) Mine shall treat and utilize all industrial effluent within mine premises and Zero effluent discharge shall be implemented.
- 2) Mine shall treat mine water to the extent that it should meet the quality of drinking water source quality standards. The treated mine water should be used for beneficitation purposes such as plantation, irrigation etc.
- 3) Toilets should be provided for labors.



## **Consent Order**

**M.P. Pollution Control Board**  
**E-5, Arera Colony**  
**Paryavaran Parisar, Bhopal - 16 MP**  
**Tele : 0755-2466191, Fax-0755-2463742**

### **CONDITIONS PERTAINING TO AIR (PREVENTION & CONTROL OF POLLUTION) ACT 1981 :-**

1. Ambient air quality at the boundary of the industry/unit premises shall be monitored and reported to the Board regularly on quarterly basis: The Ambient air quality norms are prescribed in MoEF gazette notification no. GSR/826(E), dated: 16/11/09. Some of the parameters are as follows:

- Particulate Matter (less than 10 micron) -  $100 \mu\text{g}/\text{m}^3$  ( $\text{PM}_{10} \mu\text{g}/\text{m}^3$  24 hrs. basis)
- Particulate Matter (less than 2.5 micron) -  $60 \mu\text{g}/\text{m}^3$  ( $\text{PM}_{2.5} \mu\text{g}/\text{m}^3$  24 hrs. basis)
- Sulphur Dioxide [ $\text{SO}_2$ ] (24 hrs. Basis) -  $80 \mu\text{g}/\text{m}^3$
- Nitrogen Oxides [ $\text{NO}_x$ ] (24 hrs. Basis) -  $80 \mu\text{g}/\text{m}^3$
- Carbon Monoxide [CO] (8 hrs. Basis) -  $2000 \mu\text{g}/\text{m}^3$

2. The industry shall take adequate measures for control of noise level generated from industrial activities within the premises less than 75 dB(A) during day time and 70 dB(A) during night time.

3. The industry/unit shall make the necessary arrangements for control of the fugitive emission from any source of emission/section/activities.

4. Approach roads shall be made pucca to control the fugitive emissions of particulate matter generated due to transportation and internal movements.

5. Mine management shall take effective steps for extensive tree plantation of the local tree species within or around the industry/unit premises for general improvement of environmental conditions and as stated in additional condition

### **Additional Air condition:- (if any)**

**:-**

- Mine management shall demarcate a barrier zone of 7.5 meters as no mining zone in the periphery of mining lease area and develop a green belt.
- Mine management shall ensure the construction pakka approach road from mine to main road to suppress dust pollution.
- Regular water spraying shall be provided on haul road.
- Dense plantation shall be carried out all around the quarry lease area .
- Regular wetting/sprinkling of haul road & transportation road shall be carried out by tankers.
- Proper & regular maintenance of the vehicles shall be under taken to suppress the frictional noise



## **GENERAL CONDITIONS:**

2. The applicant shall allow the staff of Madhya Pradesh Pollution Control Board and/or their authorized representative, upon the representation of credentials:
  - a. To inspect raw material stock, manufacturing processes, reactors, premises etc to perform the functions of the Board.
  - b. To enter upon the applicant's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this Consent.
  - c. To have access at reasonable times to any records required to be kept under the terms and conditions of this Consent.
  - d. To inspect at reasonable times any monitoring equipment or monitoring method required in this Consent: or,
  - e. To sample at reasonable times any discharge or pollutants.
3. This consent/authorisation is transferable, in case of change of ownership/management and addresses of new Owner/partner/Directors/proprietor should immediately apply for the same.
4. The issuance of this Consent does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorise any invasion of personal rights, nor any infringement of Central, State or local laws or regulations.
5. This consent is granted in respect of Water pollution control Act 1974 or Air Pollution Control act, 1981 or Authorization under the provisions of Hazardous and other Waste (Management & Transboundary movement) Rules 2016 only and does not relate to any other Department/Agencies. License required from other Department/Agencies have to be obtained by the unit separately and have to comply separately as per there Act / Rules.
6. Balance consent/authorisation fee, if any shall be recoverable by the Board even at a later date.
7. The applicant shall submit such information, forms and fees as required by the board not later than 180 day prior to the date of expiration of this consent/authorisation
8. Knowingly making any false statement for obtaining consent or compliance of consent conditions shall result in the imposition of criminal penalties as provided under the section 42(g) of the Water Act or section 38 (g) of the Air Act.
9. After notice and opportunity for the hearing, this consent may be modified, suspended or revoked by the Board in whole or in part during its term for cause including, but not limited to, the following :
  - (a) Violation of any terms and conditions of this Consent.
  - (b) Obtaining this Consent by misrepresentation of failure to disclose fully all relevant facts.
  - (c) A change in any condition that requires temporary or permanent reduction or elimination of the authorized discharge.
10. On violation of any of the above-mentioned conditions the consent granted will automatically be taken as canceled and necessary action will be initiated against the industry.

## **Additional condition:- (if any) :-**

1. The Mine shall optimize the water abstraction from the surface water source by utilizing the mine discharge for spraying on haul roads, mine area and loading - unloading area after proper treatment.
2. Mine management shall plant 3 years old tree samplings of suitable indigenous tree species in 1.5 ha barrier zone during first year. Extensive tree plantation shall be carried out in open areas available within and around the mine premises in consultation with expert agency. Good house keeping practice shall be adopted.
3. Mine management shall demarcate a barrier zone of 7.50 meter as no mining zone in the periphery of mining lease area and developed a green belt. No mining shall be permitted 50 meters on either side of existing HT line.
4. Overburden dumps shall be stored at the earmarked location along with proper stabilization arrangements and retaining wall. Maximum height of the OB dumps shall not exceed 20 meters and each stage shall be of 10 meter height with slope of shall not exceed 35°. Mine shall have to take effective steps to check the soil erosion from over burden/waste material dumping area, causing silting problem into near by nallah/ river/ pond during the rainy season
5. Mine Management shall construct Garland drain of appropriate length with size with stone pitching all around , and sump capacity of appropriate size with sttling tanks. Sedimentation pits shall be constructed at the corners of the garland drains and de-silted at regular intervals.
6. Top soil shall be scraped & separately stacked with proper slope and adequate safeguards; it shall be utilized for carpeting over the backfilled area and rehabilitation of mined out area.
7. Mine management shall provide artificial recharger measures, rain water harvesting system.
8. Mine management shall provide fencing all around the lease area to prevent the accident hazard.
9. The Mine shall improve their existing pollution control facilities and maintain the same properly so that the emission

**Consent No:CTE-49387, Validity:31/12/2023, Outward No:87945,22/01/2019**



## Consent Order

**M.P. Pollution Control Board**  
**E-5, Arera Colony**  
**Paryavaran Parisar, Bhopal - 16 MP**  
**Tele : 0755-2466191, Fax-0755-2463742**

could be maintained within the prescribed standards.

10. Controlled blasting should be practiced with the use of delay detonators and only during daytime. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders should be implemented.
11. Mine management shall submit environmental statement for the previous year ending 31st March on or before 30<sup>th</sup> September every year to the Board.
12. Mine management shall ensure the compliance of conditions of Environmental clearance.
13. Mine shall comply the provisions of all the relevant Acts/Rules/Directions/Guidelines issued by MoEF/ CPCB/ MPPCB time to time as required and if applicable.
14. Mine shall comply the Directions/ Orders issued by Hon'ble Supreme Court/ High Court/ NGT time to time in the relevant Writ Petitions.
15. Mine management shall install industrial grade HD IP (Internet Protocol) Pan-Tilt-Zoom (PTZ) Camera with minimum 5X zoom and night vision facility for remote surveillance and constant vigil of emission source.
16. Mine management shall establish suitable connectivity of IP-Camera with Environment Surveillance Centre at the HQ of M.P. Pollution Control Board for monitoring and data transmission purpose.

For and on behalf of  
M.P. Pollution Control Board

( Member Secretary )



e-Signed On 22/01/2019 12:58:40  
(Organic Authentication on AADHAR from UIDAI Server)  
TPAV # 2J4VKAHVSC

**ACHYUT ANAND MISHRA**  
**Member Secretary**

**Consent No:CTE-49387,Validity:31/12/2023, Outward No:87945,22/01/2019**



# Consent Order

M.P. Pollution Control Board  
E-5, Arera Colony  
Paryavaran Parisar, Bhopal - 16 MP  
Tele : 0755-2466191, Fax-0755-2463742

RED-MEDIUM

CCA-Renewal

CONSENT NO: \*\*\*

PCB ID: 19642

Outward No:116313,31/08/2022

Consent No:AW-56583

To,  
The Occupier,  
M/s. S.N.S.(Minerals)Ltd. Lime Stone Mines, Village Bhatura,  
4.047 HECT., MAIHAR,BHATURA,City : Bhatewara, Tal : Maihar,  
Dist : Satna (M.P.) Latitude : 24.0918 Longitude : 80.6725

Subject: Grant of Renewal of Consent under section 25 of the Water (Prevention & Control of Pollution) Act,1974 under section 21 of the Air (Prevention & Control of Pollution) Act,1981

Ref: Renewal of Consent Application R.No. 1166650 Dt. 10/08/2022 and last communication received on Dt.18/08/2022

With reference to your above application for Renewal of Consent has been considered under the aforesaid Acts and existing rules therein. The M. P. Pollution Control Board has agreed to grant consent up to **21/12/2026**, subject to the fulfillment of the terms & conditions, enclosed with this letter and-

**SUBJECT TO THE FOLLOWING CONDITIONS :-**

- a. Location: Khasra No. 39/1, Village : Bhatoora, Tehsil: Maihar Distt.: Satna, (M.P.)
- b. Mining Lease area: 4.047 ha
- c. Product & Production Capacity:

Activity / Product	Qty / year
Mining of Lime Stone	73,490 Metric Ton Per Year.

- Note :-
- (1) For any change in above industry shall obtain fresh consent from the Board.
  - (2) PP shall ensure that mining is done in sanctioned lease area; as per valid mining plan approved for Lime Stone by Regional Controller of Mines IBM Jabalpur vide letter No. MOD-10/22-23/059 dated 24.05.2022 for period till 31.03.2027 & in compliance of the conditions laid in EC granted by SEIAA MP vide L. No. 1958 Dated 08.01.2019.
  - (3) PP shall ensure that solid waste generated during mining process shall be stacked at earmarked site which shall be properly surrounded by garland drains & settling pits of adequate sizes so that no Soil/Silt/waste rock is discharged outside the mine lease area/ nearby water body blocking the natural flow of any nallah/river/pond. Top Soil / OB dump shall be biologically reclaimed.
  - (4) Evacuation of mineral shall not be through any village or forest area. PP shall provide pucca (Concreted/Ashphalted) approach road from main road to the mine site & ensure thick plantation on both side of this road to prevent dust/noise pollution.
  - (5)The dust generated during transportation of mineral & deposited on Approach/Haul roads shall be regularly removed by sweeping the roads & suppressed by intermittent sprinkling of water on roads using pressurized water tankers of adequate capacity. PP shall practice regular compaction of loose material of haulage road & regular water sprinkling done for control of generated fugitive emissions.

The Validity of the consent is up to **21/12/2026** and has to be renewed before expiry of consent validity. Online application through XGN with annual license fees in this regard shall be submitted to this office 6 months before expiry of the consent/Authorization. Board reserves the right to amend/cancel / revoke the above condition in part or whole as and when required.

**Enclosures:-**

- \* Conditions under Water Act
- \* Conditions under Air Act
- \* General conditions

CC to :-

1. District Mining Officer, (Mining Section), Collector office, Satna Dist. Satna (M.P.) for information.
2. M.P. State Mining Corporation, Arera Hills, Jail Road, Bhopal (M.P.) for necessary action please.
3. Regional officer, Regional office, MPPCB, Satna (M.P.)



Signature Not Verified  
Digitally Signed by : A. A  
Mishra, Member Secretary  
Date: 31/08/2022 09:46:54 PM

**ACHYUT ANAND MISHRA**  
Member Secretary

(Organic Authentication on AADHAR from UIDAI Server)  
TPAV # 9RKJ7R9X12



## CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of sewage shall not exceed 0.30 KL/day & it shall be treated through Septic tank Soak pit.

2. Trade Effluent Treatment:-

The applicant shall provide comprehensive effluent treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards-

pH	Between	5.5 – 9.0	TDS	Not exceed	2100 mg/l.
Suspended Solids	Not exceed	100 mg/l.	Chlorides	Not exceed	1000 mg/l.
BOD 3 Days 270C	Not exceed	30 mg/l.			
COD	Not exceed	250 mg/l.			
Oil and grease	Not exceed	10 mg/l.			

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

3. Sewage Treatment :- The applicant shall provide comprehensive sewage treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards-

pH	Between	5.5 – 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD <sub>3</sub> Days 27 <sup>0</sup> C	Not exceed	30 mg/l.
COD	Not exceed	250 mg/l.
Oil and grease	Not exceed	10 mg/l.
Total Colliform	Not exceed	1000 (MPN/100ML)

Sr	Water Code (Qty in klpd - Kilo Ltr per Day)	WC : 8.500	WWG : 0.300	Water Source	Remark
1	Domestic Purpose	0.500	0.300	Tankers	Eff. treated through Septic tank Soak pit
2	Dust Suppression	4.000	0.000	Mine Water	Mine pit water to be used for dust suppression.
3	Plantation / Horticulture	4.000	0.000	Mine Water	Mine pit water to be used for plantation.

4. The effluent shall be treated up to prescribed Standards and reuse in the process, for cooling and for green belt devolvement/gardening within premises. Hence zero discharge condition shall be practiced. In no case treated effluent shall be discharged outside of industry/unit premises.

5. Any change in production capacity, process, raw material used etc. and for any enhancement of the above prior permission of the Board shall be obtained. All authorized discharges shall be consistent with terms and conditions of this consent. Facility expansions, production increases or process modifications which result new or increased discharges of pollutants must be reported by submission of a fresh consent application for prior permission of the Board

6. All treatment/control facilities/systems installed or used by the applicant shall be regularly maintained in good working order and operate effectively/efficiently to achieve compliance of the terms and conditions of this consent

7. The specific effluent limitations and pollution control systems applicable to the discharge permitted herein are set forth as above conditions.

### 8. Compilation of Monitoring data-

- Samples and measurements taken to meet the monitoring requirements specified above shall be representative of the volume and nature of monitored discharge.
- Following promulgation of guidelines establishing test procedures for the analysis of pollutants, all sampling and analytical methods used to meet the monitoring requirements specified above shall conform to such guidelines unless otherwise specified sampling and analytical methods shall conform to the latest edition of the Indian Standard specifications and where it is not specified the guidelines as per standard methods for the examination of Water and Waste latest edition of the American Public Health Association, New York U.S.A. shall be used.
- The applicant shall take samples and measurement to meet the monthly requirements specified above and report online through XGN the same to the Board.



## **9. Recording of Monitoring Activities & Results-**

- i. The applicant shall make and maintain online records of all information resulting from monitoring activities by this Consent.
- ii. The applicant shall record for each measurement of samples taken pursuant to the requirements of this Consent as follows:
  - (i) The date, exact place and time of sampling
  - (ii) The dates on which analysis were performed
  - (iii) Who performed the analysis?
  - (iv) The analytical techniques or methods used and
  - (v) The result of all required analysis
- iii. If the applicant monitors any Pollutant more frequently as is by this Consent he shall include the results of such monitoring in the calculation and reporting of values required in the discharge monitoring reports which may be prescribed by the Board. Such increased frequency shall be indicated on the Discharge Monitoring Report Form.
- iv. The applicant shall retain for a minimum of 3 years all records of monitoring activities including all records of Calibration and maintenance of instrumentation and original strip chart regarding continuous monitoring instrumentation. The period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the applicant or when requested by Central or State Board or the court.

## **10. Reporting of Monitoring Results:-**

Monitoring Information required by this Consent shall be summarized and reported by submitting a Discharge Monitoring report on line to the Board.

## **11. Limitation of discharge of oil Hazardous Substance in harmful quantities:-**

The applicant shall not discharge oil or other hazardous substances in quantities defined as harmful in relevant regulations into natural water course. Nothing in this Consent shall be deemed to preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities, or penalties to which the applicant is or may be subject to clauses.

## **12. Limitation of visible floating solids and foam:**

During the period beginning date of issuance the applicant shall not discharge floating solids or visible foam.

## **13. Disposal of Collected Solid waste/sludge-**

All hazardous waste/sludge shall be disposed of as per the Authorization issued under Hazardous & other waste (M&TM) Rules 2016. And/other Solids Sludges, dirt, silt or other pollutant separated from or resulting from treatment shall be disposed of in such a manner as to prevent any pollutant from such materials from entering any such water. Any live fish, Shall fish or other animal collected or trapped as a result of intake water screening or treatment may be returned to eaters body habitat.

## **14. Provision for Electric Power Failure-**

The applicant shall assure to the consent issuing authority that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities utilized by the applicant to maintain compliance with the terms and conditions of the Consent.

## **15. Prohibition of By pass system of treatment facilities-**

The diversion or by-pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this Consent is prohibited except :

- i. where unavoidable to prevent loss of life or severe property damage, or
- ii. Where excessive storm drainage or run off would damage any facilities necessary for compliance with the terms and conditions of this Consent. The applicant shall immediately notify the consent issuing authorities in writing of each such diversion or by-pass in accordance with the procedure specified above for reporting non-compliance.

16. Industry/Institute/mine management shall submit the information online through XGN in reference to compliance of consent conditions.

## **Additional Water condition:-**

- 1) Mine shall treat and utilize all industrial effluent within mine premises and Zero effluent discharge shall be implemented.
- 2) Mine shall treat mine water to the extent that it should meet the quality of drinking water source quality standards. The treated mine water should be used for beneficiation purposes such as plantation, irrigation etc.
- 3) Toilets should be provided for labors.

**Consent No:AW-56583**



## **CONDITIONS PERTAINING TO AIR (PREVENTION & CONTROL OF POLLUTION) ACT 1981 :-**

1. The applicant shall provide comprehensive air pollution control system consisting of control equipments as per the proposal submitted to the Board with reference to generation of emission and same shall be operated & maintained continuously so as to achieve the level of pollutants to the following standards:-
  - a. Particulate Matter (less than 10 micron) - 100  $\mu\text{g}/\text{m}^3$  ( $\text{PM}_{10}$   $\mu\text{g}/\text{m}^3$  24 hrs. basis)
  - b. Particulate Matter (less than 2.5 micron) - 60  $\mu\text{g}/\text{m}^3$  ( $\text{PM}_{2.5}$   $\mu\text{g}/\text{m}^3$  24 hrs. basis)
  - c. Sulphur Dioxide [ $\text{SO}_2$ ] (24 hrs. Basis) - 80  $\mu\text{g}/\text{m}^3$
  - d. Nitrogen Oxides [ $\text{NO}_x$ ] (24 hrs. Basis) - 80  $\mu\text{g}/\text{m}^3$
  - e. Carbon Monoxide [ $\text{CO}$ ] (8 hrs. Basis) - 2000  $\mu\text{g}/\text{m}^3$
2. Ambient air quality at the boundary of the industry/unit premises shall be monitored and reported to the Board regularly on quarterly basis: The Ambient air quality norms are prescribed in MoEF gazette notification no. GSR/826(E), dated: 16/11/09. Some of the parameters are as follows:
3. The industry shall take adequate measures for control of noise level generated from industrial activities within the premises less than 75 dB(A) during day time and 70 dB(A) during night time.
4. The industry/unit shall make the necessary arrangements for control of the fugitive emission from any source of emission/section/activities.
5. All other fugitive emission sources such as leakages, seepages, spillages etc shall be ensured to be plugged or sealed or made airtight to avoid the public nuisance.
6. All the internal roads shall be made pucca to control the fugitive emissions of particulate matter generated due to transportation and internal movements. Good housekeeping practices shall be adopted to avoid leakages, seepages, spillages etc.
7. Industry shall take effective steps for extensive tree plantation preferably in 03 rows of the local tree species with minimum spacing of 2X2 meters within or around the industry/unit premises for general improvement of environmental conditions and as stated in below..

### **Additional Air condition:-**

1. Mine management shall demarcate a barrier zone of 7.5 meters as no mining zone in the periphery of mining lease area and develop a green belt.
2. Mine management shall ensure the construction pakka approach road from mine to main road to suppress dust pollution.
3. Regular water spraying shall be provided on haul road.
4. Dense plantation shall be carried out all around the quarry lease area .
5. Regular wetting/ sprinkling of haul road & transportation road shall be carried out by tankers.
6. Proper & regular maintenance of the vehicles shall be under taken to suppress the frictional noise.



## **GENERAL CONDITIONS:**

1. The non hazardous solid waste arresting in the industry/unit/unit premises sweeping, etc. be disposed off scientifically so as not to cause any nuisance/pollution. The applicant shall take necessary permission from civic authorities for disposal to dumping site. If required.

### **Non Hazardous Solid wastes:-**

Type of waste	Quantity	Disposal
Scrap/ Plastic packing material wood, card board, gunny bogs etc		Sale to authorized party/As Per CPCB. MoEF Guide lines / Others.

2. The applicant shall allow the staff of Madhya Pradesh Pollution Control Board and/or their authorized representative, upon the representation of credentials:

- To inspect raw material stock, manufacturing processes, reactors, premises etc to perform the functions of the Board.
- To enter upon the applicant's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this Consent.
- To have access at reasonable times to any records required to be kept under the terms and conditions of this Consent.
- To inspect at reasonable times any monitoring equipment or monitoring method required in this Consent: or,
- To sample at reasonable times any discharge or pollutants.

3. This consent / authorisation is transferable in nature, in case of any change in ownership / management, the new owner / partner / directors / proprietor shall immediately apply for the consent with new requisite information.

4. The issuance of this Consent does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorise any invasion of personal rights, nor any infringement of Central, State or local laws or regulations.

5. This consent is granted in respect of Water pollution control Act 1974 or Air Pollution Control act, 1981 or Authorization under the provisions of Hazardous and other Waste (Management & Trans boundary movement) Rules 2016 only and does not relate to any other Department/Agencies. License required from other Department/Agencies have to be obtained by the unit separately and have to comply separately as per there Act / Rules.

6. Balance consent/authorisation fee, if any shall be recoverable by the Board even at a later date.

7. The applicant shall submit such information, forms and fees as required by the board not letter than 180 day prior to the date of expiration of this consent/authorisation

8. Knowingly making any false statement for obtaining consent or compliance of consent conditions shall result in the imposition of criminal penalties as provided under the section 42(g) of the Water Act or section 38 (g) of the Air Act.

9. After notice and opportunity for the hearing, this consent may be modified, suspended or revoked by the Board in whole or in part during its term for cause including, but not limited to, the following :

- Violation of any terms and conditions of this Consent.
- Obtaining this Consent by misrepresentation of failure to disclose fully all relevant facts.
- A change in any condition that requires temporary or permanent reduction or elimination of the authorized discharge.

10. On violation of any of the above-mentioned conditions the consent granted will automatically be taken as canceled and necessary action will be initiated against the industry.

### **Additional condition:-**

- The Mine shall optimize the water abstraction from the surface water source by utilizing the mine discharge for spraying on haul roads, mine area and loading - unloading area after proper treatment.
- Mine management shall plant 3 years old tree samplings of suitable indigenous tree species in 1.5 ha barrier zone during first year. Extensive tree plantation shall be carried out in open areas available within and around the mine premises in consultation with expert agency. Good housekeeping practice shall be adopted.

**Consent No:AW-56583**



## Consent Order

M.P. Pollution Control Board  
E-5, Arera Colony  
Paryavaran Parisar, Bhopal - 16 MP  
Tele : 0755-2466191, Fax-0755-2463742

3. Mine management shall demarcate a barrier zone of 7.50 meter as no mining zone in the periphery of mining lease area and developed a green belt. No mining shall be permitted 50 meters on either side of existing HT line.
4. Overburden dumps shall be stored at the earmarked location along with proper stabilization arrangements and retaining wall. Maximum height of the OB dumps shall not exceed 20 meters and each stage shall be of 10 meter height with slope of shall not exceed 35°. Mine shall have to take effective steps to check the soil erosion from overburden/waste material dumping area, causing silting problem into near by nallah/ river/ pond during the rainy season.
5. Mine Management shall construct Garland drain of appropriate length with size with stone pitching all around , and sump capacity of appropriate size with sttling tanks. Sedimentation pits shall be constructed at the corners of the garland drains and de-silted at regular intervals.
6. Top soil shall be scraped & separately stacked with proper slope and adequate safeguards; it shall be utilized for carpeting over the backfilled area and rehabilitation of mined out area.
7. Mine management shall provide artificial recharger measures, rain water harvesting system.
8. Mine management shall provide fencing all around the lease area to prevent the accident hazard.
9. The Mine shall improve their existing pollution control facilities and maintain the same properly so that the emission could be maintained within the prescribed standards
10. Controlled blasting should be practiced with the use of delay detonators and only during daytime. The mitigativ measures for control of ground vibrations and to arrest the fly rocks and boulders should be implemented.
11. Mine management shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.
12. Mine management shall ensure the compliance of conditions of Environmental clearance.
13. Mine shall comply with the provisions of all the relevant Acts/Rules/Directions/Guidelines issued by MoEF/ CPCB/ MPPCB time to time as required and if applicable.
14. Mine shall comply with the Directions/ Orders issued by Hon'ble Supreme Court/ High Court/ NGT time to time in the relevant Writ Petitions.

**Consent/authorization as required under the Water (Prevention & Control of Pollution) Act 1974, The Air (Prevention & Control of Pollution) Act,1981is granted to your industry subject to fulfillment of all the conditions mentioned above. For renewal purpose you shall have to make an application to this Board through XGN at least Six months before the date of expiry of this consent/authorisation. The applicant without valid consent (for operation) of the Board shall not bring in to use any outlet for the discharge of effluent and gaseous emission.**

**For and on behalf of  
M.P. Pollution Control Board**

**ACHYUT ANAND MISHRA  
Member Secretary**



**(Organic Authentication on AADHAR from UIDAI Server)  
TPAV # 9RKJ7R9X12**

**Consent No:AW-56583**



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-050525-01	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.  
Name of Mine: Bhatooa Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn On : 03/05/2025  
Sample Drawn By : NTL Representative  
Sampling Location : **Core Zone**  
Sampling Plan & Procedure : SOP-AAQ/08  
Analysis Duration : 05/05/2025 to 10/05/2025  
Sampling Instrument Used : RDS Sampler, FPS Sampler  
Weather Condition : Clear

### TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM <sub>10</sub> )	IS:5182 Part-XXIII	65.40	µg /m <sup>3</sup>	100.0
2.	Particulate Matter (PM <sub>2.5</sub> )	NAAQMS/36 Vol-1, CPCB	26.11	µg /m <sup>3</sup>	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	10.35	µg /m <sup>3</sup>	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	20.40	µg /m <sup>3</sup>	80.0

#### Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

*Joseph*  
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)  
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-050525-02	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.  
Name of Mine: Bhatoora Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn On : 03/05/2025  
Sample Drawn By : NTL Representative  
Sampling Location : **Kherwa Village**  
Sampling Plan & Procedure : SOP-AAQ/08  
Analysis Duration : 05/05/2025 to 10/05/2025  
Sampling Instrument Used : RDS Sampler, FPS Sampler  
Weather Condition : Clear

### TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM <sub>10</sub> )	IS:5182 Part-XXIII	62.18	µg /m <sup>3</sup>	100.0
2.	Particulate Matter (PM <sub>2.5</sub> )	NAAQMS/36 Vol-I, CPCB	23.50	µg /m <sup>3</sup>	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.36	µg /m <sup>3</sup>	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	18.89	µg /m <sup>3</sup>	80.0

#### Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)  
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-050525-03	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.  
Name of Mine: Bhatorea Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn On : 04/05/2025  
Sample Drawn By : NTL Representative  
Sampling Location : **Jamuani Kala Village**  
Sampling Plan & Procedure : SOP-AAQ/08  
Analysis Duration : 05/05/2024 to 10/05/2025  
Sampling Instrument Used : RDS Sampler, FPS Sampler  
Weather Condition : Clear

### TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM <sub>10</sub> )	IS:5182 Part-XXIII	60.19	µg /m <sup>3</sup>	100.0
2.	Particulate Matter (PM <sub>2.5</sub> )	NAAQMS/36 Vol-1, CPCB	21.50	µg /m <sup>3</sup>	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.78	µg /m <sup>3</sup>	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	18.54	µg /m <sup>3</sup>	80.0

#### Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

*Johnyoshi*  
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)  
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-050525-04	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.  
Name of Mine: Bhatoora Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn On : 04/05/2025  
Sample Drawn By : NTL Representative  
Sampling Location : **Bandhi Village**  
Sampling Plan & Procedure : SOP-AAQ/08  
Analysis Duration : 05/05/2025 to 10/05/2025  
Sampling Instrument Used : RDS Sampler, FPS Sampler  
Weather Condition : Clear

### TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM <sub>10</sub> )	IS:5182 Part-XXIII	62.54	µg /m <sup>3</sup>	100.0
2.	Particulate Matter (PM <sub>2.5</sub> )	NAAQMS/36 Vol-1, CPCB	23.09	µg /m <sup>3</sup>	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.60	µg /m <sup>3</sup>	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	21.30	µg /m <sup>3</sup>	80.0

#### Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

*[Signature]*  
CHECKED BY

AUTHORIZED SIGNATORY

*[Signature]*  
NOIDA TESTING LABORATORIES

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)  
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-050525-05	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.  
Name of Mine: Bhatoora Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn On : 04/05/2025  
Sample Drawn By : NTL Representative  
Sampling Location : **Bhatoora Village**  
Sampling Plan & Procedure : SOP-AAQ/08  
Analysis Duration : 05/05/2025 to 10/05/2025  
Sampling Instrument Used : RDS Sampler, FPS Sampler  
Weather Condition : Clear

### TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM <sub>10</sub> )	IS:5182 Part-XXIII	62.85	µg /m <sup>3</sup>	100.0
2.	Particulate Matter (PM <sub>2.5</sub> )	NAAQMS/36 Vol-1, CPCB	21.47	µg /m <sup>3</sup>	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	10.06	µg /m <sup>3</sup>	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	21.39	µg /m <sup>3</sup>	80.0

#### Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-050525-06	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.  
Name of Mine: Bhatooa Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn On : 03/05/2025  
Sample Drawn By : NTL Representative  
Sampling Location : **Ghorwai Village**  
Sampling Plan & Procedure : SOP-AAQ/08  
Analysis Duration : 05/05/2025 to 10/05/2025  
Sampling Instrument Used : RDS Sampler, FPS Sampler  
Weather Condition : Clear

### TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM <sub>10</sub> )	IS:5182 Part-XXIII	64.01	µg /m <sup>3</sup>	100.0
2.	Particulate Matter (PM <sub>2.5</sub> )	NAAQMS/36 Vol-I, CPCB	23.97	µg /m <sup>3</sup>	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.65	µg /m <sup>3</sup>	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	18.48	µg /m <sup>3</sup>	80.0

#### Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

  
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

<b>Test Report of</b>	<b>Report Code</b>	<b>Date of Issue</b>
Ambient Air Quality Analysis	AAQ-050525-07	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.

Name of Mine: Bhatoora Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn On	: 03/05/2025
Sample Drawn By	: NTL Representative
Sampling Location	: <b>Ajwain Village</b>
Sampling Plan & Procedure	: SOP-AAQ/08
Analysis Duration	: 05/05/2025 to 10/05/2025
Sampling Instrument Used	: RDS Sampler, FPS Sampler
Weather Condition	: Clear

### TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM <sub>10</sub> )	IS:5182 Part-XXIII	62.40	µg /m <sup>3</sup>	100.0
2.	Particulate Matter (PM <sub>2.5</sub> )	NAAQMS/36 Vol-1, CPCB	24.17	µg /m <sup>3</sup>	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.55	µg /m <sup>3</sup>	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	20.09	µg /m <sup>3</sup>	80.0

#### Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

*Sanjosh*  
CHECKED BY

AUTHORIZED SIGNATORY



**Laboratory :** GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

**Branch Office :**

**HARIDWAR | DEHRADUN | PUNE**

**E-mail :** noida.laboratory@gmail.com | **Website :** www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Noise	AN-050525-08	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.  
Name of Mine: Bhatoura Limestone Mine, 4.047 Hect.

### SAMPLING & ANALYSIS DATA

Monitoring Started On : 03/05/2025  
Sample Drawn By : NTL Representative  
Monitoring Period : 03/05/2025 to 05/05/2025  
Sampling Location : Near Mine Site  
Protocol Followed : IS 9989: 1981 (RA 2023)

### RESULTS

S. No	Test Parameters	Results	Units	Requirement (as per CPCB Guidelines Limits in		
				dB (A) Leq		
				Category of Area/ Zone	Day Time	Night Time
1.	L <sub>day</sub> (6.0 AM TO 10.0 PM)	60.2	dB(A)	Industrial Area	75	70
2.	L <sub>night</sub> (10.0 PM TO 6.0 AM)	45.5	dB(A)	Commercial Area	65	55
				Residential Area	55	45
				Silence Zone	50	40

#### Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

*Ashu Joshi*  
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)  
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Water	W-050525-09	10/05/2025

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.  
Name of Mine: Bhatooa Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn By : NTL Representative  
Sample Drawn On : 04/05/2025  
Sample Received On : 05/05/2025  
Sample Quantity : 2.0 Lt.  
Analysis Duration : 05/05/2025 to 10/05/2025  
Sample Description : Water Sample Collected near mine site

### RESULTS

#### Essential test as per IS:10500-2012

S.No.	Parameter	Test Method	Results	Units	Desirable Limit	Extended Limit
1.	pH	IS:3025(Part-11)	7.30	-	6.5 - 8.5	-
2.	Colour	IS:3025(Part-4)	<5.00	Hazen	5	15
3.	Odour	IS:3025(Part-5)	Agreeable	-	Agreeable	Agreeable
4.	Taste	IS:3025(Part-8)	Agreeable	-	Agreeable	-
5.	Turbidity	IS:3025(Part-10)	<1.00	NTU	1	5
6.	Total Hardness (as CaCO <sub>3</sub> )	IS:3025(Part-21)	182.50	mg/l	200	600
7.	Chloride (as Cl)	IS:3025(Part-32)	68.41	mg/l	250	1000
8.	Calcium (as Ca)	IS: 3025 (P- 40)	50.12	mg/l	75	200
9.	Iron (as Fe)	IS:3025(Part-52)	<0.05	mg/l	1	No Relaxation
10.	Nitrate (as NO <sub>3</sub> )	IS: 3025 (P- 34)	3.16	mg/l	45	No Relaxation
11.	Total Dissolved Solid	IS:3025(Part-16)	425.0	mg/l	500	2000
12.	Alkalinity (as Ca CO <sub>3</sub> )	IS: 3025 (P- 23)	176.8	mg/l	200	600
13.	Total Suspended Solid	IS:3025(Part-17)	<1.00	mg/l	-	-
14.	Sulphate (as SO <sub>4</sub> )	IS: 3025 (P- 24)	27.50	mg/l	200	400

### MICROBIOLOGICAL REQUIREMENT

### RESULTS

S.No.	Parameter	Test Method	Results	Required as per IS-10500:2012
1.	<i>Escherichia coli</i>	IS-15185	Absent	Absent/100ml
2.	<i>Coliform Bacteria</i>	IS-15185	Absent	Absent/100ml

#### Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of Soil Quality	Report Code SQ-050525-010	Date of Issue 10/05/2025
--------------------------------	------------------------------	-----------------------------

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.

Name of Mine: Bhatoora Limestone Mine, 4.047 Hect.

### Sampling & Analysis Data

Sample Drawn On : 04/05/2025  
 Sample Description : Soil Sample  
 Sample Received On : 05/05/2025  
 Sample Quantity : 2.0 Kg  
 Weather Conditions : Normal  
 Analysis Duration : 05/05/2025 to 10/05/2025

### RESULTS

S.No.	PARAMETERTS	TEST METHOD	RESULT	UNIT
1.	pH (1:10 suspension)	IS:2720(Part-26)	7.62	-
2.	Electrical Conductivity mS/cm	IS:2720(Part-21)	489.0	mS/cm
3.	Water holding Capacity	STP/SOIL	26.70	% by mass
4.	Porosity	STP/SOIL	34.60	% by mass
5.	Sand	STP/SOIL	58.0	% by mass
6.	Clay	STP/SOIL	20.5	% by mass
7.	Silt	STP/SOIL	21.5	% by mass
8.	Bulk Density	STP/SOIL	1.28	mg /m <sup>3</sup>
9.	Moisture Content	STP/SOIL	22.50	% by mass
10.	Calcium (as Ca)	STP/SOIL	482.0	mg/kg
11.	Magnesium (as Mg)	STP/SOIL	137.0	mg/kg
12.	Sodium (as Na)	STP/SOIL	176.0	mg/kg
13.	Potassium (as K)	STP/SOIL	43.5	mg/kg
14.	Cation Exchange Capacity	STP/SOIL	9.80	Meq/100gm
15.	Sodium Absorption Ratio	STP/SOIL	0.36	-
16.	Nitrogen	STP/SOIL	0.042	% by mass
17.	Phosphorus(P <sub>2</sub> O <sub>5</sub> )	STP/SOIL	7.60	mg/kg
18.	Zinc (Zn)	STP/SOIL	15.20	mg/kg
19.	Organic Matter	STP/SOIL	0.28	% by mass

### Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com

**Table 1-Annual Expenditure for CSR during year 2024-25**

**Bhatoora Mine**

Sl. No.	Activity / Benefits	Expenditure lakh Rupees	in
1	Water storage tanks, drinking water supply facility & irrigation support to agriculture	60000	
2	Preventive measures for mitigation of mine related health problems	5000	
3	Promotion of Hygiene and Sanitation, public health initiatives	5000	
4	Skill development & Vocational Training programmes for local communities	5000	
5	Promotion of Literacy & Education	8000	
6	Support to social, cultural, recreational activities	10000	
7	Livelihood & Socio-Economic standard improvement support	5000	
8	Improvement of Road connectivity and public transport and other infrastructure facilities	100000	
<b>Total</b>		<b>198000.00</b>	

**Table 2-Annual Expenditure for EMP during year 2024-25**

**Bhatoora Mine**

Sl. No.	Measures	Annual recurring cost (in Rs.)
1	Dust suppression /Water sprinkling.	75000
2	Garland drain and bund maintenance	5000
3	Pollution Monitoring	60000
4	Plantation in core zone and buffer zone	50000
5	Maintenance of Road to Mine	25000
6	Fencing	5000
7.	Occupational Health, First Aid Box and PPE (Boot, helmet, goggles, ear plug and dust mask for worker)	30000
8	Cleanliness and dust bin etc.	3000
<b>Total</b>		<b>253000.00</b>

**FORM -V**

( See rule 14)

**ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING THE  
31<sup>ST</sup> MARCH 2025**

**PART-A**

**(i) Name and address of the owner/occupier of the industry operation or process**

**M/s. S.N.S. (Minerals) Pvt. Limited**

N.H. 7, Rewa Road,

P.O.- Maihar, District Satna (M.P.)

e-mail – snsahr@gmail.com

**Owner** – Bhatoora Limestone Mine, Area – 4.047 Hect

**Village-** Bhatoora, Tahsil-Maihar, District Satna (M.P.)

(ii) Industry category -Primary - (STC Code) Secondary - (STC Code) - Mining

(iii) Production capacity - 73490 TPA of Limestone

(iv) Year of establishment . Date of grant – 22/12/1971

Grant of E.C. – 08/01/2019

Grant of CTE after E.C. – 22/01/2019

Grant of CTO after E.C. – 06/02/2019

(v) Date of the last environmental statement submitted. - June 2024

**PART-B**

**Water and raw material consumption**

- (i) Water consumption m<sup>3</sup> /d - 9 cum per day  
Process - Mining - 4 cum per day  
Cooling  
Domestic - 2 cum per day

Name of products (1)	Process water consumption per unit of product output	
	During the previous financial year (2)	During the current financial year (3)
(i)	Not applicable	Not applicable
(ii)		
(iii)		

(ii) Raw material consumption - Limestone Production = 53000 tonnes

* Name of raw material	Name of products	Consumption of raw material per unit	
		During the previous financial year	During the current financial year

\* Industry may use codes if disclosing details of raw materials would violate contractual obligations otherwise all industries have to name the raw materials used.

### **PART-C**

Pollution discharged to environment /unit of output  
Parameter as specified in the consent issued)

Pollution	Quantity of pollutants discharged(mass/day)	Concentration of pollutants in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
Water	Nil	NA	Zero discharge from mine
Air	Below permissible limit	Below permissible limit	Below permissible limit

### **PART-D**

#### **HAZARDOUS WASTES**

(As specified under Hazardous Wastes (Management and Handling) Rules, 1989)

Hazardous Wastes	Total Quantity (kg)	
	During the previous financial year	During the current financial year
(a) From process	Nil	Nil
(b) From pollution control facilities	Nil	Nil

### **PART-E**

#### **SOLID WASTES**

	Total Quantity (kg) During the previous financial year	During the current financial year
(a) From process/mining	200 cum	2300 cum
(b) From pollution control facility	NA	NA
(c) (1) Quantity recycled or re-utilised within the unit	NA	NA
(2) Sold	NA	NA
(3) Disposed	200 cum (Backfilling)	2300 cum (Backfilling)

### **PART-F**

**Please specify the characterization (in terms of composition and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both categories of wastes.**

No hazardous waste has been generated. The solid waste consists of OB Soil, No hazardous waste is present within the over burden or ore body. The solid waste consists of OB Soil, Intercalated clay & inter bedded shale. The OB and waste is being back filled.

### **PART-G**

**Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.**

Positive impact has been noticed due to pollution abatement measures taken. The mining method in systematic and scientific manner attributed towards mineral conservation. It has marginal effect on the cost of the production.

The method of mining in this mine is opencast by semi-mechanised means. The only source of air pollution i.e. generation of dust is due to plying of vehicles and drilling and blasting. Following measures were taken for minimising and controlling the pollutant level within threshold value.

#### **AIR**

- (i) Tractor fitted with a water tanker attachment has been provided at mine site for sprinkling/spraying of water on regular basis on the haul roads for preventing generation of dust or air pollution if any.
- (ii) The generation of dust or air pollution has been controlled/ prevented by restricting the speed of the vehicles, overloading and sprinkling/spraying of water on regular basis on the haul roads.
- (iii) Ambient Air quality is below the permissible limit at mine boundary and the same will be kept below the permissible limit during the course of mining operations as stipulated. For this every effort will be made as per the conditions of Environmental clearance.
- (iv) Wet drilling is carried out. Dust collectors are also attached with drill equipment.

### **WATER**

No perennial surface water source is present within the core zone or within the nearby buffer zone. The working is being done above the ground water table. No adverse impact is envisaged. However garland drain has been prepared around dump and in slope to prevent siltation of low lying areas.

### **NOISE**

The noise level is below threshold value in the mine. The noise level varies from 45.5 to 60.2 dBA.

### **PART-H**

#### **Additional measures /investment proposal for environmental protection, abatement of pollution, prevention of pollution .**

No additional measure/ investment is proposed.

### **PART-I**

#### **Any other particulars for improving the quality of the environment.**

This is a simple and small mine being operated by semi mechanised means. The pollutant level is within permissible limit. No other measure is required under the present circumstances and intensity and method of mining and hence no suggestion or proposal has been made improving the quality of the environment, environmental protection, abatement of pollution and prevention of pollution.

For: M/s. S.N.S. (Minerals) Pvt. Limited

Date: 29.05.2025

(S.P. Tiwari)  
Authorised Signatory

## आम सूचना

सर्व साधारण को सूचित किया जाता है कि भारत सरकार के वन एवं पर्यावरण मंत्रालय के द्वारा गठित म.प्र.राज्य स्तरीय पर्यावरण प्रभाव निर्धारण प्राधिकरण भोपाल के आदेश क्रमांक 1958/SEIAA/18 दिनांक 08.01.2019 के द्वारा मेसर्स एस.एन.एस.(मिनरल्स) लिमिटेड मैहर जिला सतना की ग्राम भट्टरा तहसील मैहर जिला सतना (म.प्र.) की चूना पत्थर खनिज खदान एरिया 4.047 हे. पर खनन क्षमता 73490 मी.टन हेतु पर्यावरणीय एक स्वीकृति प्रदान कर दी गई है. उक्त पर्यावरणीय स्वीकृति आदेश की प्रति म.प्र. प्रदूषण नियंत्रण बोर्ड, भोपाल के समक्ष सुरक्षित है तथा उक्त आदेश को म.प्र.राज्य स्तरीय पर्यावरण प्रभाव निर्धारण प्राधिकरण भोपाल की वेबसाइट [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) पर भी देखा जा सकता है. अतः सर्व साधारण को सूचित हो.

भवदीय

अधिकृत हस्ताक्षरकर्ता

मेसर्स एस.एन.एस.(मिनरल्स)लिमिटेड, मैहर जिला सतना (म.प्र.)

9268

iv

2976



पश्चिमबंग पश्चिम बंगाल WEST BENGAL

C 161842

GENERAL POWER OF ATTORNEY

Be it known that I Sanjiv Beri aged 50 years s/o late Sri S.N.Beri resident of 2/H, Alipore Avenue, Kolkata-700027, Managing Director of M/s. S. N. S. (Minerals) Limited incorporated under the provisions of the Companies Act 1956, do hereby appoint, nominate and constitute -

- 1) Shri B.L.Nanda Aged 76 years s/o Late Sri Brindawan Nanda r/o Katni Road, Maihar, M.P., Executive Director of M/s. S.N.S.(Minerals)Limited, Maihar, M.P..
- 2) Shri S.S.Pillai aged 54 years s/o Late K. Shankara Pillai occupation Service - Manager(W) of M/s.S.N.S.(Minerals)Limited, Maihar, M.P. r/o Ward No.13 Rewa Road, Maihar, M.P., Dist. Satna, M.P..
- 3) Shri S.P.Tiwari aged 57 years s/o late Sri R.K.Tiwari occupation service in M/s.S.N. S. (Minerals)Limited, Maihar, M.P. r/o Ward No.13 Rewa Road, Maihar, M.P., Dist. Satna, M.P..

To be my true and lawful attorney in my name and on my behalf to do or execute all or any of the acts or things hereinafter mentioned, jointly or severally, that is to say.

1. To appear and act in all Courts, Revenue or Criminal, Labour, Industrial or before Arbitrator or Conciliator, whether appellate, Revisional or Original in the offices, Sales Tax officer, Central Excise, Office of Collector, Mines and in any other office of Government.

admissible under Rule 23, duty stamps  
under the Indian Stamp Act, 1899  
and also to be executed by W. Bengal  
Stamp Amendment Act, 1938  
Subscribed at the .....  
Fee paid as under:-

Sanjiv Beri

48d  
E-71

# SPECIMEN FORM FOR TEN FINGERPRINTS



		Little Finger	Ring Finger	Middle Finger	Fore Finger	Thumb
	Left Hand					
		Thumb	Fore Finger	Middle Finger	Ring Finger	Little Finger
	Right Hand					

Sanyu Bai



		Little Finger	Ring Finger	Middle Finger	Fore Finger	Thumb
	Left Hand					
		Thumb	Fore Finger	Middle Finger	Ring Finger	Little Finger
	Right Hand					



		Little Finger	Ring Finger	Middle Finger	Fore Finger	Thumb
	Left Hand					
		Thumb	Fore Finger	Middle Finger	Ring Finger	Little Finger
	Right Hand					



		Little Finger	Ring Finger	Middle Finger	Fore Finger	Thumb
	Left Hand					
		Thumb	Fore Finger	Middle Finger	Ring Finger	Little Finger
	Right Hand					

2. To sign and execute plaints, petitions or other papers which may be necessary therefore and to verify the same. To compromise or refer to arbitration and to defend suits or other proceedings that may be filed against me and for such purpose to appoint advocate, pleaders etc.

3. To file and recovery back papers, to apply for copies of papers and to inspect records, registers maintained by Govt. and local authorities, courts, including those maintained under any statutory act.

4. To file applications etc. for taking possession, releasing Motor Vehicles registered in my name, and to take possession thereof and documents relating to the vehicles from the courts having jurisdiction for trial.

5. To file execution application for execution of lease deeds, decree obtained by me and to receive decretal amount or vouchers from the Court or Tribunal or any other Govt. offices.

6. To obtain leases of lands, buildings and mines and approval certificates from State Govt.; Union of India and other appropriate authorities in respect of the same.

7. Generally to do all lawful acts necessary for the above mentioned purposes.

Provided that the powers hereby conferred shall not extend to borrowing any money or hypothecating my property or creating any charge therefore transferring any moveable or immovable property in any manner.

And I hereby agree to confirm and ratify all and every act or thing done by my said attorney within the scope of the authority hereby conferred on him and all deeds or documents executed by him in my name or on my behalf shall be binding on me if the same were executed by me.

In witness whereof I have signed this deed on this 28<sup>th</sup> day of May 2007 in presence of the witnesses.

WITNESS :

- 1) AJOY DEB  
5C, ALIPORE ROAD,  
KOLKATA - 700 027 Ajoy Deb
- 2) MANAB CHATTERJEE  
17/1D, ALIPORE ROAD,  
KOLKATA - 700 027. Manab Chatterjee

Sanjay Bera  
EXECUTANT.

Drafted by me  
K. C. Kanmoker  
Advocate  
High Court, Calcutta.

## PLANTATION PHOTOGRAPHS



