



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-090523-01	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.
Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn On : 08/05/2023
Sample Drawn By : NTL Representative
Sampling Location : Core Zone
Sampling Plan & Procedure : SOP-AAQ/08
Analysis Duration : 09/05/2023 to 15/05/2023
Sampling Instrument Used : RDS Sampler, FPS Sampler
Weather Condition : Clear

TEST RESULT


S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	64.26	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	23.10	µg /m ³	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.85	µg /m ³	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	18.60	µg /m ³	80.0

Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Checked BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured Future

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-090523-02	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.
 Name of Mine: Jamaani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn On : 08/05/2023
 Sample Drawn By : NTL Representative
 Sampling Location : Kherwa Village
 Sampling Plan & Procedure : SOP-AAQ/08
 Analysis Duration : 09/05/2023 to 15/05/2023
 Sampling Instrument Used : RDS Sampler, FPS Sampler
 Weather Condition : Clear

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	64.02	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	23.40	µg /m ³	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.89	µg /m ³	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	18.36	µg /m ³	80.0

Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured Future

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-090523-03	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.
 Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn On : 08/05/2023
 Sample Drawn By : NTL Representative
 Sampling Location : Jamuani Kala Village
 Sampling Plan & Procedure : SOP-AAQ/08
 Analysis Duration : 09/05/2023 to 15/05/2023
 Sampling Instrument Used : RDS Sampler, FPS Sampler
 Weather Condition : Clear

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	60.12	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	22.80	µg /m ³	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.76	µg /m ³	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	18.05	µg /m ³	80.0

Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured Future

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-090523-04	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.
 Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn On : 08/05/2023
 Sample Drawn By : NTL Representative
 Sampling Location : Bandhi Village
 Sampling Plan & Procedure : SOP-AAQ/08
 Analysis Duration : 09/05/2023 to 15/05/2023
 Sampling Instrument Used : RDS Sampler, FPS Sampler
 Weather Condition : Clear

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	64.01	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	23.50	µg /m ³	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	10.12	µg /m ³	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	19.87	µg /m ³	80.0

Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Ajali
CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured Future

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-090523-05	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.
Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn On : 08/05/2023
Sample Drawn By : NTL Representative
Sampling Location : **Bhatoora Village**
Sampling Plan & Procedure : SOP-AAQ/08
Analysis Duration : 09/05/2023 to 15/05/2023
Sampling Instrument Used : RDS Sampler, FPS Sampler
Weather Condition : Clear

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	62.50	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	23.89	µg /m ³	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	10.06	µg /m ³	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	19.88	µg /m ³	80.0

Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Pujari
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured Future

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-090523-06	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.
 Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn On : 08/05/2023
 Sample Drawn By : NTL Representative
 Sampling Location : Ghorwai Village
 Sampling Plan & Procedure : SOP-AAQ/08
 Analysis Duration : 09/05/2023 to 15/05/2023
 Sampling Instrument Used : RDS Sampler, FPS Sampler
 Weather Condition : Clear

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	63.50	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	24.02	µg /m ³	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.67	µg /m ³	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	18.40	µg /m ³	80.0

Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Ajaj
 CHECKED BY

Ajaj
 AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured Future

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-090523-07	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.
 Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn On : 08/05/2023
 Sample Drawn By : NTL Representative
 Sampling Location : Ajwain Village
 Sampling Plan & Procedure : SOP-AAQ/08
 Analysis Duration : 09/05/2023 to 15/05/2023
 Sampling Instrument Used : RDS Sampler, FPS Sampler
 Weather Condition : Clear

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	60.15	µg /m ³	100.0
2.	Particulate Matter (PM _{2.5})	IS:5182 Part-XXIV	23.80	µg /m ³	60.0
3.	Sulphur Dioxide	IS:5182 Part-II	9.76	µg /m ³	80.0
4.	Nitrogen Dioxide	IS:5182 Part-VI	18.50	µg /m ³	80.0

Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Ajwain
 CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Noise	AN-090523-08	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.

Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

SAMPLING & ANALYSIS DATA

Sample Drawn On : 08/05/2023
 Sample Drawn By : NTL Representative
 Sample Received On : 09/05/2023
 Sampling Location : Near Mine Site

RESULTS

S. No	Test Parameters	Results	Units	Requirement (as per CPCB Guidelines Limits in dB (A) Leq		
				Category of Area/ Zone	Day Time	Night Time
1.	L _{day} (6.0 AM TO 10.0 PM)	64.0	dB(A)	Industrial Area	75	70
				Commercial Area	65	55
2.	L _{night} (10.0 PM TO 6.0 AM)	53.2	dB(A)	Residential Area	55	45
				Silence Zone	50	40

Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Ajay
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured Future

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Water	W-090523-09	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.
 Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn By : NTL Representative
 Sample Drawn On : 08/05/2023
 Sample Received On : 09/05/2023
 Sample Quantity : 2.0 Lt.
 Analysis Duration : 09/05/2023 to 15/05/2023
 Sample Description : Water Sample Collected near mine site

RESULTS

Essential test as per IS:10500-2012

S.No.	Parameter	Test Method	Results	Units	Desirable Limit	Extended Limit
1.	pH	IS:3025(Part-11)	7.78	-	6.5 - 8.5	-
2.	Colour	IS:3025(Part-4)	<5.00	Hazen	5	15
3.	Odour	IS:3025(Part-5)	Agreeable	-	Agreeable	Agreeable
4.	Taste	IS:3025(Part-8)	Agreeable	-	Agreeable	-
5.	Turbidity	IS:3025(Part-10)	<1.00	NTU	1	5
6.	Total Hardness (as CaCO ₃)	IS:3025(Part-21)	195.40	mg/l	200	600
7.	Chloride (as Cl)	IS:3025(Part-32)	62.80	mg/l	250	1000
8.	Calcium (as Ca)	IS: 3025 (P- 40)	50.12	mg/l	75	200
9.	Iron (as Fe)	IS:3025(Part-52)	<0.05	mg/l	1	No Relaxation
10.	Nitrate (as NO ₃)	IS: 3025 (P- 34)	3.02	mg/l	45	No Relaxation
11.	Total Dissolved Solid	IS:3025(Part-16)	430.0	mg/l	500	2000
12.	Alkalinity (as Ca CO ₃)	IS: 3025 (P- 23)	186.4	mg/l	200	600
13.	Total Suspended Solid	IS:3025(Part-17)	<1.00	mg/l	-	-
14.	Sulphate (as SO ₄)	IS: 3025 (P- 24)	28.20	mg/l	200	400

MICROBIOLOGICAL REQUIREMENT

RESULTS

S.No.	Parameter	Test Method	Results	Required as per IS-10500:2012
1.	<i>Escherichia coli</i>	IS-15185	Absent	Absent/100ml
2.	<i>Coliform Bacteria</i>	IS-15185	Absent	Absent/100ml

Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured Future

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Soil Quality	SQ-090523-09	15/05/2023

Issued To: M/s S. N. S. Minerals (Pvt.) Ltd.

Name of Mine: Jamuani Kala Limestone Mine, 8.584 Hect.

Sampling & Analysis Data

Sample Drawn On : 08/05/2023
Sample Description : Soil Sample
Sample Received On : 09/05/2023
Sample Quantity : 2.0 Kg
Weather Conditions : Normal
Analysis Duration : 09/05/2023 to 15/05/2023

RESULTS

S.No.	PARAMETERTS	TEST METHOD	RESULT	UNIT
1.	pH (1:10 suspension)	IS:2720(Part-26)	7.95	-
2.	Electrical Conductivity mS/cm	IS:2720(Part-21)	520.0	mS/cm
3.	Water holding Capacity	STP/SOIL	25.20	% by mass
4.	Porosity	STP/SOIL	36.40	% by mass
5.	Sand	STP/SOIL	58.0	% by mass
6.	Clay	STP/SOIL	20.5	% by mass
7.	Silt	STP/SOIL	21.5	% by mass
8.	Bulk Density	STP/SOIL	1.28	mg /m ³
9.	Moisture Content	STP/SOIL	22.50	% by mass
10.	Calcium (as Ca)	STP/SOIL	482.0	mg/kg
11.	Magnesium (as Mg)	STP/SOIL	137.0	mg/kg
12.	Sodium (as Na)	STP/SOIL	176.0	mg/kg
13.	Potassium (as K)	STP/SOIL	43.5	mg/kg
14.	Cation Exchange Capacity	STP/SOIL	9.80	Meq/100gm
15.	Sodium Absorption Ratio	STP/SOIL	0.36	-
16.	Nitrogen	STP/SOIL	0.042	% by mass
17.	Phosphorus(P ₂ O ₅)	STP/SOIL	7.60	mg/kg
18.	Zinc (Zn)	STP/SOIL	12.80	mg/kg
19.	Organic Matter	STP/SOIL	0.26	% by mass

Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Ajali
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com